

Subject Index: Volume 47

Abciximab

- Clinical results of a platelet glycoprotein IIb/IIIa receptor blocker (abciximab: ReoPro)-coated stent in acute myocardial infarction, 933
- Randomized comparison of upstream tirofiban versus downstream high bolus dose tirofiban or abciximab on tissue-level perfusion and troponin release in high-risk acute coronary syndromes treated with percutaneous coronary interventions, 522
- Relationship between patient's risk profile and benefits in mortality from adjunctive abciximab to mechanical revascularization for ST-segment elevation myocardial infarction: a meta-regression analysis of randomized trials (correspondence), 685
- Role of risk stratification in the decision to provide upstream versus selective glycoprotein IIb/IIIa inhibitors for acute coronary syndromes, 529

Abdominal aortic aneurysm

- Prospective aortic screening in men with coronary aneurysms (correspondence), 1227

Ablation

- See also* Catheter ablation; Radiofrequency ablation
- Characterization of radiofrequency ablation lesions with gadolinium-enhanced cardiovascular magnetic resonance imaging, 370
- Decline in C-reactive protein after successful ablation of long-lasting persistent atrial fibrillation (correspondence), 1231
- Highest dominant frequencies in atrial fibrillation (editorial), 1408
- Isolated potentials during sinus rhythm and pace-mapping within scars as guides for ablation of post-infarction ventricular tachycardia, 2013
- Left atrial ablation versus biatrial ablation for persistent and permanent atrial fibrillation, 2504
- Phrenic nerve injury after atrial fibrillation catheter ablation, (June 20: Sacher, Monahan)
- Prevention of ventricular desynchronization by permanent paraisian pacing after atrioventricular node ablation in chronic atrial fibrillation: a cross-over, blinded, randomized study versus apical right ventricular pacing, 1938
- Robotic magnetic navigation for atrial fibrillation ablation, 1390

ACC

- Of abstracts and manuscripts, 1224
- ACC 2006 Annual Session Highlights: An Introduction, D2
- ACC/AHA 2005 guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): executive summary, 1239
- ACC/AHA 2006 guideline update on perioperative cardiovascular evaluation for noncardiac surgery: a focused update on perioperative beta-blocker therapy, 2343
- ACC/AHA clinical performance measures for adults with ST-elevation and non-ST-elevation myocardial infarction, 236
- ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention—summary article, 216
- AHA/ACC guidelines for secondary prevention for patients with coronary and other

atherosclerotic vascular disease: 2006 update, 2130

Fourth Annual American College of Cardiology International Lecture, 1754

ACC News

- Cardiology in a flat world, 882
- Newly elected members of the college, 1079
- President's page: A question of quality: why national benchmarking?, 1076
- President's page: American College of Cardiology fellowship: where ideals and personal responsibility intersect, 1901
- President's page: Collaborative culture key to our success, 681
- President's page: Making imaging beautiful, 1485
- President's page: New York 1952 to Atlanta 2006: celebrating the cardiovascular community, 203
- President's page: Valvular heart disease: the convergence of interventional and surgical approaches, 2332

ACCF

- ACCF 2006 update for training in adult cardiovascular medicine, 893
- Complementary medicine has no place in cardiovascular medicine (letter), 1498

Acetylsalicylic acid

- See also* Aspirin
- Effect of platelet antigen polymorphism on platelet inhibition by aspirin, clopidogrel, or their combination, 541

Active compression-decompression

- Rapid induction of cerebral hypothermia is enhanced with active compression-decompression plus inspiratory impedance threshold device cardiopulmonary resuscitation in a porcine model of cardiac arrest, 835

Acute coronary syndromes

- Assessment of vulnerable plaques causing acute coronary syndrome using integrated backscatter intravascular ultrasound, 734
- Comparison of the clinical impact of bleeding measured by two different classifications among patients with acute coronary syndromes, 809
- Elevated placental growth factor levels are associated with adverse outcomes at four-year follow-up in patients with acute coronary syndromes, 307
- Elevated plaque temperature in non-culprit de novo atheromatous lesions of patients with acute coronary syndromes, 301
- Frequency and clinical implications of discordant creatine kinase-MB and troponin measurement in acute coronary syndromes, 312
- Intensive statin therapy and the risk of hospitalization for heart failure after an acute coronary syndrome in the PROVE IT-TIMI 22 study, 2326
- Noninvasive assessment of plaque morphology and composition in culprit and stable lesions in acute coronary syndrome and stable lesions in stable angina by multidetector computed tomography, 1655
- Number of yellow plaques detected in a coronary artery is associated with future risk of acute coronary syndrome detection of vulnerable patients by angiography, 2194

Randomized comparison of upstream tirofiban versus downstream high bolus dose tirofiban or abciximab on tissue-level perfusion and troponin release in high-risk acute coronary syndromes treated with percutaneous coronary interventions, 522

Randomized trial to evaluate the relative protection against post-PCI microvascular dysfunction, ischemia and inflammation among anti-platelet and anti-thrombotic agents: the PROTECT-TIMI-30 trial, 2364

Regionalization of ST-segment elevation acute coronary syndromes care, 1346

Role of risk stratification in the decision to provide upstream versus selective glycoprotein IIb/IIIa inhibitors for acute coronary syndromes, 529

Year in interventional cardiology, 1689

Acute myocardial infarction

See Myocardial infarction

Adeno-associated virus heme oxygenase-1

- Chronic recurrent myocardial ischemic injury is significantly attenuated by pre-emptive adeno-associated virus heme oxygenase-1 gene delivery, 635

Adenosine

Role of adenosine in acute myocardial infarction (letter), 1235

Adenosine 5'-diphosphate receptors

- Dependence of platelet thrombus stability on sustained glycoprotein IIb/IIIa activation through adenosine 5'-diphosphate receptor stimulation and cyclic calcium signaling, 155

Adenosine diphosphate

Impact of adenosine diphosphate and calcium chelation on platelet aggregation testing in patients receiving clopidogrel therapy (correspondence), 464

Adenosine stress magnetic resonance

Prognosis of negative adenosine stress magnetic resonance in patients presenting to an emergency department with chest pain, 1427

Adenosine triphosphate test

Epidemiology, clinical features, and follow-up of patients with syncope and a positive adenosine triphosphate test result, 594

Implantable loop recorder study of highly symptomatic vasovagal patients, 587

Adiponectin

Serum adiponectin levels are an independent predictor of the extent of coronary artery disease in men, 2124

Adolescents

Impact of obesity on cardiac geometry and function in a population of adolescents: the Strong Heart study, 2267

Adrenergic receptors

Effects of combined versus selective adrenergic blockade on left ventricular and systemic hemodynamics, myocardial substrate preference, and regional perfusion in conscious dogs with dilated cardiomyopathy, 1871

Adventitial microvessels

Adventitial microvessel formation after coronary stenting and the effects of SU11218, a tyrosine kinase inhibitor, 1067

Aerobic training

Aerobic training decreases B-type natriuretic

- peptide expression and adrenergic activation in patients with heart failure, 1835
- African Americans**
Racial differences in prevalence of coronary obstructions among men with positive nuclear imaging studies, 2034
Transthyretin V122I in African Americans with congestive heart failure (correspondence), 1724
- Afro-Caribbeans**
Role of inheritance and environment in predisposition to vascular disease in people of African descent, 1126
- Afterdepolarizations**
Sodium-calcium exchange initiated by the Ca²⁺ transient, 1196
- Age**
Heart disease risk determines menopausal age rather than the reverse, 1976
Influence of age, gender, and training on exercise efficiency, 1049
Metabolic syndrome and age-related progression of aortic stiffness, 72
Payments for debts associated with exercise can become higher as we age and limit exercise capacity (editorial), 1058
- Aggregometry**
Platelet aspirin resistance detection validation (letter), 2565
- Aging**
See also Elderly; Older adults
Cardiovascular aging (editorial), 403
Effects of normal aging on left ventricular lusitropic, inotropic, and chronotropic responses to dobutamine, 1440
Long-term caloric restriction ameliorates the decline in diastolic function in humans, 398
- AHA**
ACC/AHA 2005 guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): executive summary, 1239
ACC/AHA 2006 guideline update on perioperative cardiovascular evaluation for noncardiac surgery: a focused update on perioperative beta-blocker therapy, 2343
ACC/AHA clinical performance measures for adults with ST-elevation and non-ST-elevation myocardial infarction, 236
ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention—summary article, 216
AHA/ACC guidelines for secondary prevention for patients with coronary and other atherosclerotic vascular disease: 2006 update, 2130
AHA/ACCF scientific statement on the evaluation of syncope, 473
- Ambulatory blood pressure monitoring**
Prognosis of masked hypertension and white-coat hypertension detected by 24-h ambulatory blood pressure monitoring (letter), 2127
- American Society of Nuclear Cardiology**
Highlights of the 2005 scientific sessions of the American Society of Nuclear Cardiology, 1478
- Amino-terminal pro-brain natriuretic peptide**
Amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide in the general community, 345
Comparison of B-type natriuretic peptides for assessment of cardiac function and prognosis in stable ischemic heart disease, 52
Renal function, congestive heart failure, and amino-terminal pro-brain natriuretic peptide measurement, 91
- AMISTAD trials**
AMISTAD trials: possible reasons for lack of success (letter), 1236
- Amplatzer Membranous VSD Occluder**
Transcatheter closure of perimembranous ventricular septal defects using the new Amplatzer Membranous VSD Occluder, 319
- Amplatzer septal occluder**
Surgical versus percutaneous occlusion of ostium secundum atrial septal defects, 326
- Aneurysms**
Prospective aortic screening in men with coronary aneurysms (correspondence), 1227
- Angina pectoris**
B-type natriuretic peptide and the risk of cardiovascular events and death in patients with stable angina, 552
Noninvasive assessment of plaque morphology and composition in culprit and stable lesions in acute coronary syndrome and stable lesions in stable angina by multidetector computed tomography, 1655
- Angiogenesis**
Highlights of the year in *JACC* 2005, 184
- Angiography**
Comparison of radiation doses from multislice computed tomography coronary angiography and conventional diagnostic angiography, 1840
Drug eluting stent restenosis: the pattern predicts the outcome, (June 20: Cosgrave, Melzi)
Serial angiographic follow-up of sirolimus-eluting stents for unprotected left main coronary artery revascularization, 871
- Angioplasty**
Correlation between *Chlamydia pneumoniae* detection from coronary angioplasty balloons and atherosclerosis severity (correspondence), 1229
Effects of primary angioplasty for acute myocardial infarction on early and late infarct size and left ventricular wall characteristics, 40
Results of catheter-based therapy compared with surgical repair of adult aortic coarctation, 1101
- Angioscopy**
Incomplete neointimal coverage of sirolimus-eluting stents (editorial), 2108
Number of yellow plaques detected in a coronary artery is associated with future risk of acute coronary syndrome detection of vulnerable patients by angioscopy, 2194
- Angiotensin II receptor blockers**
Prevention of atrial fibrillation by angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers (letter), 889
- Angiotensin receptor blockers**
Effect of valsartan, captopril, or both on atherosclerotic events after acute myocardial infarction, 726
Preventing type 2 diabetes mellitus with angiotensin blockade: is it clinically relevant? (letter), 1913
Reduction of morbidity and mortality by statins, angiotensin-converting enzyme inhibitors, and angiotensin receptor blockers in patients with chronic obstructive pulmonary disease, 2554
- Angiotensin-converting enzyme**
Cellular immunostaining of angiotensin-converting enzyme in human coronary atherosclerotic plaques, 1143
- Angiotensin-converting enzyme inhibitors**
Angiotensin-converting enzyme inhibitors in coronary artery disease and preserved left ventricular systolic function, 1576
Anti-inflammatory action of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers (letter), 889
Cardioprotective medication is associated with improved survival in patients with peripheral arterial disease, 1182
Effect of valsartan, captopril, or both on atherosclerotic events after acute myocardial infarction, 726
Influence of proteinuria on cardiovascular risk and response to angiotensin-converting enzyme inhibition after myocardial infarction (correspondence), 1725
Prevention of atrial fibrillation by angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers (letter), 889
Reduction of morbidity and mortality by statins, angiotensin-converting enzyme inhibitors, and angiotensin receptor blockers in patients with chronic obstructive pulmonary disease, 2554
- Animal models**
Cardioprotective effects of granulocyte colony-stimulating factor in swine with chronic myocardial ischemia, 842
Chronic atrial dilation, electrical remodeling, and atrial fibrillation in the goat, 644
Development of mild aortic valve stenosis in a rabbit model of hypertension, 2303
Effects of combined versus selective adrenergic blockade on left ventricular and systemic hemodynamics, myocardial substrate preference, and regional perfusion in conscious dogs with dilated cardiomyopathy, 1871
Microvascular permeabilization and cardiomyocyte injury provoked by myocardial contrast echocardiography in a canine model, 1464
Novel contrast removal system from the coronary sinus using an adsorbing column during coronary angiography in a porcine model, 1866
Rapid induction of cerebral hypothermia is enhanced with active compression-decompression plus inspiratory impedance threshold device cardiopulmonary resuscitation in a porcine model of cardiac arrest, 835
Sildenafil improves coronary artery patency in a canine model of platelet-mediated cyclic coronary occlusion after thrombolysis, 1471
- Anticoagulants**
Year in valvular heart disease, 427
- Antioxidants**
Statins and antioxidant vitamins: should co-administration be provided? (letter), 1237
- Antiplatelet therapy**
Secondary stroke prevention and antiplatelet therapy (letter), 2568
- Anti-thrombotic agents**
Randomized trial to evaluate the relative protection against post-PCI microvascular dysfunction, ischemia and inflammation among anti-platelet and anti-thrombotic agents: the PROTECT-TIMI-30 trial, 2364
- Aortic annulus**
Comparison of bioprostheses in patients with small aortic annulus (letter), 1088
- Aortic regurgitation**
Aortic regurgitation after arterial switch operation (editorial), 2063

- Aortic valve regurgitation after arterial switch operation for transposition of the great arteries: risk factors and outcome, 2057
- Long-term outcome of surgically treated aortic regurgitation, 1012
- Year in valvular heart disease, 427
- Aortic stenosis**
- Accuracy of multislice computed tomography in the preoperative assessment of coronary disease in patients with aortic valve stenosis, 2020
- Development of mild aortic valve stenosis in a rabbit model of hypertension, 2303
- Hemodynamic assessment of aortic stenosis (editorial), 138
- Metabolic syndrome negatively influences disease progression and prognosis in aortic stenosis, 2229
- Multislice computed tomography for detection of patients with aortic valve stenosis and quantification of severity, 1410
- Treatment of calcific aortic stenosis with the percutaneous heart valve, 1214
- Validation and re-evaluation of a discriminant model predicting anatomic suitability for biventricular repair in neonates with aortic stenosis, 1858
- Valvular aortic stenosis: disease severity and timing of intervention, 2141
- Year in valvular heart disease, 427
- Aortic valve**
- Year in valvular heart disease, 427
- Aortic valve area**
- Multislice computed tomography for detection of patients with aortic valve stenosis and quantification of severity, 1410
- Aortocoronary bypass grafts**
- Intense vasoconstriction in response to aspirate from stented saphenous vein aortocoronary bypass grafts, 981
- Apex-to-base dispersion**
- Apex-to-base dispersion in regional timing of left ventricular shortening and lengthening, 163
- Apnea**
- Obstructive sleep apnea syndrome, 1433
- Physiologic pacing in patients with obstructive sleep apnea, 379
- Apolipoprotein A-I Milano**
- Relationship between atheroma regression and change in lumen size after infusion of apolipoprotein A-I Milano, 992
- Apolipoprotein B-100**
- Oxidized phospholipids predict the presence and progression of carotid and femoral atherosclerosis and symptomatic cardiovascular disease: five-year prospective results from the Bruneck study, 2219
- Apoptosis**
- Vascular smooth muscle cells apoptosis in asymptomatic diabetic carotid plaques: role of glycemic control (correspondence), 2118
- Arachidonic acid**
- Platelet aspirin resistance detection and validation (letter), 2565
- Arginine vasopressin**
- Aquaretic effect of lixivaptan, an oral, non-peptide, selective V2 receptor vasopressin antagonist, in New York Heart Association functional class II and III chronic heart failure patients, 1615
- Arrhythmias**
- See also *specific arrhythmia*
- Cardiac arrhythmias, D28
- Delayed gadolinium-enhanced cardiac magnetic resonance in patients with chronic myocarditis presenting with heart failure or recurrent arrhythmias, 1649
- Genomics and cardiac arrhythmias, 9
- Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction, 456
- Predictive value of ventricular arrhythmia inducibility for subsequent ventricular tachycardia or ventricular fibrillation in Multicenter Automatic Defibrillator Implantation Trial (MADIT) II patients, 98
- Task force 6: training in specialized electrophysiology, cardiac pacing, and arrhythmia management, 904
- T-wave alternans and the susceptibility to ventricular arrhythmias, 269
- Arrhythmogenic right ventricular dysplasia**
- Year in clinical electrophysiology, 1207
- Arterial inflammation**
- Link between arterial inflammation and circadian rhythm: the oversight aspect in the year 2004 (letter), 688
- Arterial stiffness**
- Metabolic syndrome and age-related progression of aortic stiffness, 72
- Arterial switch operation**
- Aortic valve regurgitation after arterial switch operation for transposition of the great arteries: risk factors and outcome, 2057
- Arterial switch surgery**
- Aortic regurgitation after arterial switch operation (editorial), 2063
- Coronary arteries after arterial switch surgery (letter), 1734
- Aspirin**
- See also Acetylsalicylic acid
- Aspirin and clopidogrel drug response in patients undergoing percutaneous coronary intervention, 27
- Cardioprotective medication is associated with improved survival in patients with peripheral arterial disease, 1182
- Effect of platelet antigen polymorphism on platelet inhibition by aspirin, clopidogrel, or their combination, 541
- Platelet aspirin resistance detection and validation (letter), 2565
- Atheroma**
- Intravascular radiation detectors for the detection of vulnerable atheroma, C97
- Molecular and cellular imaging of atherosclerosis, 1328
- Relationship between atheroma regression and change in lumen size after infusion of apolipoprotein A-I Milano, 992
- Atheromatous lesions**
- Elevated plaque temperature in non-culprit de novo atheromatous lesions of patients with acute coronary syndromes, 301
- Atherosclerosis**
- Cardiovascular morbidity and mortality in the Atherosclerosis and Folic Acid Supplementation Trial (ASFAST) in chronic renal failure, 1108
- Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events: The St. Francis Heart Study (letter), 2339
- Correlation between *Chlamydia pneumoniae* detection from coronary angioplasty balloons and atherosclerosis severity (correspondence), 1229
- C-reactive protein induces matrix metalloproteinase-1 and -10 in human endothelial cells, 1369
- Effect of valsartan, captopril, or both on atherosclerotic events after acute myocardial infarction, 726
- Evidence of cocaine-related coronary atherosclerosis in young patients with myocardial infarction, 2120
- Functional and structural markers of atherosclerosis in human immunodeficiency virus-infected patients, 1117
- Insights from the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE) study, 21S
- Molecular and cellular imaging of atherosclerosis, 1328
- Multi-Ethnic Study of Atherosclerosis (MESA) and myocardial function (editorial), 1159
- Noninvasive detection of subclinical coronary atherosclerosis coupled with assessment of changes in plaque characteristics using novel invasive imaging modalities, 1134
- Oxidized LDL autoantibodies, chronic infections and carotid atherosclerosis in a population-based study, 2436
- Oxidized phospholipids predict the presence and progression of carotid and femoral atherosclerosis and symptomatic cardiovascular disease: five-year prospective results from the Bruneck study, 2219
- Pathogenesis of atherosclerosis, C7
- Relationship between cardiovascular risk factors and atherosclerotic disease burden measured by intravascular ultrasound, 1967
- Relationship between plasma levels of oxidized and reduced thiols and early atherosclerosis in healthy adults, 1005
- Remodeling index compared to actual vascular remodeling in atherosclerotic left main coronary arteries as assessed with long-term (≥ 12 months) serial intravascular ultrasound, 1363
- Serum plant sterols and atherosclerosis: is there a place for statin-ezetimibe combination? (letter), 1496
- Atherosclerotic plaque**
- Accuracy of 64-slice computed tomography to classify and quantify plaque volumes in the proximal coronary system, 672
- Atherosclerotic plaque characterization by multidetector row computed tomography angiography, C40
- Cellular immunostaining of angiotensin-converting enzyme in human coronary atherosclerotic plaques, 1143
- C-reactive protein and the vascular endothelium (editorial), 1379
- Elevated plaque temperature in non-culprit de novo atheromatous lesions of patients with acute coronary syndromes, 301
- Imaging vulnerable plaque by ultrasound, C32
- Intracoronary palpography for vulnerable plaque assessment, C86
- Intracoronary thermography for detection for high-risk vulnerable plaques, C80
- New opportunities for identification and reduction of coronary risk, C2
- Noncalcified and calcified coronary plaque detection by contrast-enhanced multi-detector computed tomography: a study of interobserver agreement (correspondence), 207
- Noninvasive assessment of plaque morphology and composition in culprit and stable lesions in

- acute coronary syndrome and stable lesions in stable angina by multidetector computed tomography, 1655
- Number of yellow plaques detected in a coronary artery is associated with future risk of acute coronary syndrome detection of vulnerable patients by angiography, 2194
- Pathology of the vulnerable plaque, C13
- Plaque characterization with optical coherence tomography, C69
- Plaque composition and its relationship with acknowledged shear stress patterns in coronary arteries (correspondence), 884
- Pregnancy associated plasma protein-A is markedly expressed by monocyte-macrophage cells in vulnerable and ruptured carotid atherosclerotic plaques: a link between inflammation and cerebrovascular events, 2201
- Radiolabeled imaging for the detection of inflammation in vulnerable plaques, C57
- Role of magnetic resonance and intravascular magnetic resonance in the detection of vulnerable plaques, C48
- Athletes**
- Left atrial remodeling in competitive athletes (letter), 2340
- Physiological upper limits of left atrial diameter in highly trained professional athletes (letter), 2341
- Left atrial remodeling in competitive athletes, 2340
- Atorvastatin**
- Atorvastatin improves left ventricular systolic function and serum markers of inflammation in nonischemic heart failure, 332
- Atrial dilation**
- Chronic atrial dilation, electrical remodeling, and atrial fibrillation in the goat, 644
- Atrial fibrillation**
- Atrial fibrillation and risk of clinical events in chronic heart failure with and without left ventricular systolic dysfunction: results from the Candesartan in Heart Failure—Assessment of Reduction in Mortality and Morbidity (CHARM) program, 1997
- Chronic atrial dilation, electrical remodeling, and atrial fibrillation in the goat, 644
- Decline in C-reactive protein after successful ablation of long-lasting persistent atrial fibrillation (correspondence), 1231
- Does percutaneous closure of the left atrial appendage prevent stroke in atrial fibrillation? (letter), 1500
- Effects of N-3 fatty acids on postoperative atrial fibrillation following coronary artery bypass grafting (letter), 467
- Frequency analysis in different types of paroxysmal atrial fibrillation, 1401
- Genomics and cardiac arrhythmias, 9
- Highest dominant frequencies in atrial fibrillation (editorial), 1408
- Improved atrial mechanical efficiency during alternate- and multiple-site atrial pacing compared with conventional right atrial appendage pacing: implications for selective site pacing to prevent atrial fibrillation (correspondence), 209
- Left atrial ablation versus biatrial ablation for persistent and permanent atrial fibrillation, 2504
- Phrenic nerve injury after atrial fibrillation catheter ablation, 2498
- Prevention of atrial fibrillation by angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers (letter), 889
- Relationship between stature and the prevalence of atrial fibrillation in patients with left ventricular dysfunction, 1683
- Robotic magnetic navigation for atrial fibrillation ablation, 1390
- Short QT interval and atrial fibrillation in patients without structural heart disease (correspondence), 1905
- Shortening of fibrillatory cycle length in the pulmonary vein during vagal excitation, 774
- Sites of focal atrial activity characterized by endocardial mapping during atrial fibrillation, 2005
- Year in clinical electrophysiology, 1207
- Atrial pacing**
- Improved atrial mechanical efficiency during alternate- and multiple-site atrial pacing compared with conventional right atrial appendage pacing: implications for selective site pacing to prevent atrial fibrillation (correspondence), 209
- Physiologic pacing in patients with obstructive sleep apnea, 379
- Atrial septal aneurysm**
- Patent foramen ovale, guilty but only as a gang member and for a lesser crime (editorial), 446
- Patent foramen ovale: innocent or guilty?, 440
- Atrial septal defects**
- Adverse events associated with nickel allergy in patients undergoing percutaneous atrial septal defect or patent foramen ovale closure (correspondence), 1226
- Surgical versus percutaneous occlusion of ostium secundum atrial septal defects, 326
- Atrioventricular node ablation**
- Prevention of ventricular desynchronization by permanent parahisian pacing after atrioventricular node ablation in chronic atrial fibrillation: a cross-over, blinded, randomized study versus apical right ventricular pacing, 1938
- Autoantibodies**
- Oxidized LDL autoantibodies, chronic infections and carotid atherosclerosis in a population-based study, 2436
- Balloon angioplasty**
- Randomized comparison of sirolimus-eluting stent with balloon angioplasty in patients with in-stent restenosis, 2152
- Bare-metal stents**
- Oral rapamycin after coronary bare-metal stent implantation to prevent restenosis, 1522
- Sirolimus-eluting stents remain superior to bare-metal stents at two years, 1356
- Two-year outcomes after sirolimus-eluting stent implantation, 1350
- Vascular effects of sirolimus-eluting versus bare metal stents in diabetic patients: three-dimensional ultrasound results of the DIABETES trial, 2172
- Becker muscular dystrophy**
- Integrated backscatter in Becker muscular dystrophy patients with functionally normal heart: myocardial ultrasound tissue characterization study (correspondence), 686
- Benchmarking**
- President's page: A question of quality: why national benchmarking?, 1076
- Beta-blockers**
- Beta-blockade mitigates exercise blood pressure in hypertensive male patients, 794
- Beta-blocker use and outcomes among hospitalized heart failure patients, 2462
- Cardioprotective medication is associated with improved survival in patients with peripheral arterial disease, 1182
- Bicuspid aortic valve**
- Year in valvular heart disease, 427
- Bifurcation lesions**
- Bifurcation coronary lesions and the “crush” technique (letter), 2566
- Long-term outcomes following stenting of bifurcation lesions utilizing the “crush” technique: predictors of an adverse outcome, 1949
- Biomarkers**
- Biomarker of myocardial fibrosis predicts long-term response to cardiac resynchronization therapy, 2335
- C-reactive protein and other emerging blood biomarkers to optimize risk stratification of vulnerable patients, C19
- Bioprostheses**
- Comparison of bioprostheses in patients with small aortic annulus (letter), 1088
- Bleeding**
- Comparison of the clinical impact of bleeding measured by two different classifications among patients with acute coronary syndromes, 809
- Correlates of bleeding events among moderate to high-risk patients undergoing percutaneous coronary intervention and treated with eptifibatid: observations from PROTECT-TIMI-30 trial, 2374
- Blood pressure**
- See also* Ambulatory blood pressure monitoring
- Beta-blockade mitigates exercise blood pressure in hypertensive male patients, 794
- Prognosis of masked hypertension and white-coat hypertension detected by 24-h ambulatory blood pressure monitoring (letter), 2127
- Body mass index**
- Association of subclinical right ventricular dysfunction with obesity, 611
- Impact of body mass index on cardiac mortality in patients with known or suspected coronary artery disease undergoing myocardial perfusion single-photon emission computed tomography, 1418
- Obesity and the heart—a weighty issue (editorial), 2274
- Body weight**
- Relationship between increasing body weight, insulin resistance, inflammation, adipocytokine leptin, and coronary circulation function, 1188
- Bone marrow stem cells**
- Intracoronary delivery of hematopoietic bone marrow stem cells and luminal loss of the infarct-treated artery in patients with recent myocardial infarction (correspondence), 1727
- Bosentan**
- Long-term bosentan treatment in children with pulmonary arterial hypertension (letter), 1914
- Bradycardia**
- Physiologic pacing in patients with obstructive sleep apnea, 379
- Brain natriuretic peptide**
- See* B-type natriuretic peptide
- Brugada syndrome**
- AHA/ACCF scientific statement on the evaluation of syncope, 473
- Cellular basis for trigger and maintenance of ventricular fibrillation in the Brugada syndrome model: high resolution optical mapping study, 2074
- Genomics and cardiac arrhythmias, 9

- Tpeak-Tend and Tpeak-Tend dispersion as risk factors for ventricular tachycardia/ventricular fibrillation in patients with the Brugada syndrome, 1828
- B-type natriuretic peptide**
Aerobic training decreases B-type natriuretic peptide expression and adrenergic activation in patients with heart failure, 1835
Amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide in the general community, 345
Brain natriuretic peptide levels in constrictive pericarditis and restrictive cardiomyopathy (correspondence), 1489
B-type natriuretic peptide and the risk of cardiovascular events and death in patients with stable angina, 552
B-type natriuretic peptide levels in obese patients with advanced heart failure, 85
B-type natriuretic peptide strongly reflects diastolic wall stress in patients with chronic heart failure, 742
B-type natriuretic peptides and the stressed heart (editorial), 749
Coming of age of natriuretic peptides (editorial), 61
Comparison of B-type natriuretic peptides for assessment of cardiac function and prognosis in stable ischemic heart disease, 52
Is brain natriuretic peptide production is decreased in obese subjects? (correspondence), 886
Left ventricular systolic dysfunction in rheumatoid disease, 1169
Relationship between renal function and plasma brain natriuretic peptide in patients with heart failure, 582
- C807T**
Genetic polymorphisms of platelet glycoprotein Ia and the risk for premature myocardial infarction: effects of the release of sCD40L during the acute phase of premature myocardial infarction, 1959
- Caffeine**
Caffeine decreases exercise-induced myocardial flow reserve, 405
Effect of caffeine on ischemia detection by adenosine SPECT perfusion imaging, 2296
- Calcium chelation**
Impact of adenosine diphosphate and calcium chelation on platelet aggregation testing in patients receiving clopidogrel therapy (correspondence), 464
- Calcium transient**
Sodium-calcium exchange initiated by the Ca²⁺ transient, 1196
- Caloric restriction**
Long-term caloric restriction ameliorates the decline in diastolic function in humans, 398
- Candesartan**
Atrial fibrillation and risk of clinical events in chronic heart failure with and without left ventricular systolic dysfunction: results from the Candesartan in Heart Failure—Assessment of Reduction in Mortality and Morbidity (CHARM) program, 1997
- Cannabinoid CB₁ receptor blocker**
Rimonabant: a cannabinoid C(B1) receptor blocker for management of multiple cardiometabolic risk factors, 1919
- Captopril**
Effect of valsartan, captopril, or both on atherosclerotic events after acute myocardial infarction, 726
- Carbohydrates**
High fat/high carbohydrate diet induces aortic valve disease in C57BL/6J mice, 851
- Carbon monoxide poisoning**
Cardiovascular manifestations of carbon monoxide poisoning (letter), 690
- Cardiac allograft vasculopathy**
Coronary endothelial vasomotor function and vascular remodeling in heart transplant recipients randomized for tacrolimus or cyclosporine immunosuppression, 1622
- Cardiac arrest**
Rapid induction of cerebral hypothermia is enhanced with active compression-decompression plus inspiratory impedance threshold device cardiopulmonary resuscitation in a porcine model of cardiac arrest, 835
ST-segment elevation myocardial infarction: recommendations on triage of patients to heart attack centers, 1339
- Cardiac function**
Cardiac function and heart failure, D18
- Cardiac regeneration**
Cardiac regeneration, 1769
- Cardiac rest**
Cardiac rest and reserve function in patients with Fontan circulation, 2528
- Cardiac resynchronization therapy**
Biomarker of myocardial fibrosis predicts long-term response to cardiac resynchronization therapy, 2335
Year in clinical electrophysiology, 1207
- Cardiac surgery**
Randomised controlled trial of the effects of remote ischemic preconditioning on children undergoing cardiac surgery; first clinical application in humans, 2277
Total of 1,007 percutaneous coronary interventions without onsite cardiac surgery, 1713
Valvular heart disease/cardiac surgery, D37
Year in cardiovascular surgery, 2094
- Cardiac transplantation**
Effects of gender on peak oxygen consumption and the timing of cardiac transplantation, 2237
Timing for transplant; superior genetics or social prejudice (editorial), 2243
- Cardiologists**
Morphed specialist—an androsphinx? (letter), 1088
- Cardiology**
Cardiology in a flat world, 882
- Cardiomyocytes**
Microvascular permeabilization and cardiomyocyte injury provoked by myocardial contrast echocardiography in a canine model, 1464
Serofendic acid, a novel substance extracted from fetal calf serum, protects against oxidative stress in neonatal rat cardiac myocytes, 1882
- Cardiomyopathy**
See also Hypertrophic cardiomyopathy; Ischemic cardiomyopathy
Fabry's disease cardiomyopathy, 1663
- Cardiopulmonary resuscitation**
Levosimendan improves cardiopulmonary resuscitation and survival by K_{ATP} channel activation (correspondence), 1083
Rapid induction of cerebral hypothermia is enhanced with active compression-decompression plus inspiratory impedance threshold device cardiopulmonary resuscitation in a porcine model of cardiac arrest, 835
- Cardiovascular disease**
Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events: The St. Francis Heart Study (letter), 2339
Hormone replacement therapy and the cardiovascular system, 1741
Metabolic syndrome and the risk of cardiovascular disease in older adults, 1595
Nitric oxide metabolites and cardiovascular disease (editorial), 580
Oxidized phospholipids predict the presence and progression of carotid and femoral atherosclerosis and symptomatic cardiovascular disease: five-year prospective results from the Bruneck study, 2219
Prevalence of the metabolic syndrome and its relation to cardiovascular disease in an elderly Chinese population, 1588
Targeting cholesteryl ester transfer protein for the prevention and management of cardiovascular disease, 492
Underestimated impact of smoking and smoking cessation on the risk of secondary cardiovascular disease events in patients with stable coronary heart disease: prospective cohort study (correspondence), 887
- Cardiovascular magnetic resonance**
Improved detection of coronary artery disease by stress perfusion cardiovascular magnetic resonance with the use of delayed enhancement infarction imaging, 1630
- Cardiovascular medicine**
ACCF 2006 update for training in adult cardiovascular medicine, 893
- Carotid angiography**
Learning curves and reliability measures for virtual reality simulation in the performance assessment of carotid angiography, 1796
- Carotid artery disease**
Year in interventional cardiology, 1689
- Carotid artery plaque**
Vascular smooth muscle cells apoptosis in asymptomatic diabetic carotid plaques: role of glycemic control (correspondence), 2118
- Carotid artery stenosis**
Myeloperoxidase predicts progression of carotid stenosis in states of low HDL-cholesterol, 2212
Protected carotid stenting in high-risk patients with severe carotid artery stenosis, 2384
- Carotid artery stenting**
Mechanisms and predictors of carotid artery stent restenosis: a serial intravascular ultrasound study, 2390
New insights into improving acute and long term outcomes of carotid stenting (editorial), 2397
Protected carotid stenting in high-risk patients with severe carotid artery stenosis, 2384
Rate, predictors, and consequences of hemodynamic depression after carotid artery stenting, 1538
- Carotid atherosclerosis**
Oxidized LDL autoantibodies, chronic infections and carotid atherosclerosis in a population-based study, 2436
Oxidized phospholipids predict the presence and progression of carotid and femoral atherosclerosis and symptomatic cardiovascular disease: five-year prospective results from the Bruneck study, 2219
Pregnancy associated plasma protein-A is markedly expressed by monocyte-macrophage cells in vulnerable and ruptured carotid atherosclerotic plaques: a link between inflammation and cerebrovascular events, 2201
- Carotid intima media thickness**
Role of inheritance and environment in

- predisposition to vascular disease in people of African descent, 1126
- Carvedilol**
Comparison of the effects of carvedilol and metoprolol on well-being, morbidity, and mortality (the “patient journey”) in patients with heart failure, 1603
Effects of combined versus selective adrenergic blockade on left ventricular and systemic hemodynamics, myocardial substrate preference, and regional perfusion in conscious dogs with dilated cardiomyopathy, 1871
- Catheter ablation**
Phrenic nerve injury after atrial fibrillation catheter ablation, 2498
- Catheterization**
Trans-septal catheterization in the electrophysiology laboratory, 1037
- CD40 ligand**
Thromboxane-dependent CD40 ligand release in type 2 diabetes mellitus, 391
- Cell transplantation**
Autologous myoblast transplantation for chronic ischemic mitral regurgitation, 2086
- Cerebral hypothermia**
Rapid induction of cerebral hypothermia is enhanced with active compression-decompression plus inspiratory impedance threshold device cardiopulmonary resuscitation in a porcine model of cardiac arrest, 835
- Cheatham-platinum stents**
Covered Cheatham-platinum stents for aortic coarctation, 1457
- Chest pain**
Prognosis of negative adenosine stress magnetic resonance in patients presenting to an emergency department with chest pain, 1427
- Children**
See also Pediatrics
Clinical outcome of 193 extracardiac Fontan patients: the first 15 years, 2065
Evaluation of left ventricular systolic function in pediatric sickle cell anemia patients using the end systolic wall stress-VCFc relationship, 2283
Independent factors associated with mortality, reintervention, and achievement of complete repair in children with pulmonary atresia with ventricular septal defect, 1448
Long-term bosentan treatment in children with pulmonary arterial hypertension (letter), 1914
Oxidized low-density lipoprotein in children with familial hypercholesterolemia and unaffected siblings, 1803
Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs (letter), 2128
- Chinese population**
Prevalence of the metabolic syndrome and its relation to cardiovascular disease in an elderly Chinese population, 1588
- Chlamydia pneumoniae***
Correlation between *Chlamydia pneumoniae* detection from coronary angioplasty balloons and atherosclerosis severity (correspondence), 1229
- Cholesteryl ester transfer protein**
Targeting cholesteryl ester transfer protein for the prevention and management of cardiovascular disease, 492
- Chronic mesenteric ischemia**
Endovascular therapy for chronic mesenteric ischemia, 944
- Chronic myocarditis**
Delayed gadolinium-enhanced cardiac magnetic resonance in patients with chronic myocarditis presenting with heart failure or recurrent arrhythmias, 1649
- Chronic obstructive pulmonary disease**
Reduction of morbidity and mortality by statins, angiotensin-converting enzyme inhibitors, and angiotensin receptor blockers in patients with chronic obstructive pulmonary disease, (June 20: Mancini)
- Chronic renal failure**
Cardiovascular morbidity and mortality in the Atherosclerosis and Folic Acid Supplementation Trial (ASFAST) in chronic renal failure, 1108
- Chronotropic response**
Effects of normal aging on left ventricular lusitropic, inotropic, and chronotropic responses to dobutamine, 1440
- Cineventriculography**
Analysis of regional left ventricular function by cineventriculography, cardiac magnetic resonance imaging, and unenhanced and contrast-enhanced echocardiography, 121
- Circadian rhythm**
Link between arterial inflammation and circadian rhythm: the oversight aspect in the year 2004 (letter), 688
- Clinical trials**
Cardiovascular risk in patients with human immunodeficiency virus infection (editorial), 1124
Multi-Ethnic Study of Atherosclerosis (MESA) and myocardial function (editorial), 1159
Noninvasive detection of subclinical coronary atherosclerosis coupled with assessment of changes in plaque characteristics using novel invasive imaging modalities, 1134
Outline for public registration of clinical trials evaluating medical devices, 1518
- Clopidogrel**
Aspirin and clopidogrel drug response in patients undergoing percutaneous coronary intervention, 27
Effect of platelet antigen polymorphism on platelet inhibition by aspirin, clopidogrel, or their combination, 541
Impact of adenosine diphosphate and calcium chelation on platelet aggregation testing in patients receiving clopidogrel therapy (correspondence), 464
Optimal timing for the initiation of pre-treatment with 300 mg clopidogrel before percutaneous coronary intervention, 939
- Coagulopathy**
Risk of hemorrhage among patients with warfarin-associated coagulopathy, 804
- Coarctation of the aorta**
Covered Cheatham-platinum stents for aortic coarctation, 1457
Results of catheter-based therapy compared with surgical repair of adult aortic coarctation, 1101
- Cocaine**
Evidence of cocaine-related coronary atherosclerosis in young patients with myocardial infarction, 2120
- Complement factor H**
Common polymorphism in the complement factor H gene is associated with increased risk of myocardial infarction, 1568
- Complementary medicine**
Complementary medicine has no place in cardiovascular medicine (letter), 1498
- Computed tomography**
See also Multi-detector computed tomography; Multi-slice computed tomography; Single-photon emission computed tomography
Accuracy of 64-slice computed tomography to classify and quantify plaque volumes in the proximal coronary system, 672
Highlights of the year in *JACC* 2005, 184
Multislice computed tomography for detection of patients with aortic valve stenosis and quantification of severity, 1410
Promise of quantitative computed tomography coronary angiography and noninvasive segmental coronary plaque quantification (editorial), 678
Quantification of coronary lesions by 64-slice computed tomography compared with quantitative coronary angiography and intravascular ultrasound (letter), 891
Radiation exposure of computed tomography and direct intracoronary angiography, 1846
Task force 12: training in advanced cardiovascular imaging (computed tomography), 915
- Computed tomography angiography**
Atherosclerotic plaque characterization by multidetector row computed tomography angiography, C40
Comparison of radiation doses from multislice computed tomography coronary angiography and conventional diagnostic angiography, 1840
Promise of quantitative computed tomography coronary angiography and noninvasive segmental coronary plaque quantification (editorial), 678
64-slice peripheral computed tomography angiography: a clinical accuracy evaluation (correspondence), 1495
- Congenital heart disease**
Covered Cheatham-platinum stents for aortic coarctation, 1457
Highlights of the year in *JACC* 2005, 184
Independent factors associated with mortality, reintervention, and achievement of complete repair in children with pulmonary atresia with ventricular septal defect, 1448
Influence of percutaneous closure of patent ductus arteriosus on left ventricular size and function, 1060
Maternal homocysteine and congenital heart defects (correspondence), 683
Pediatric cardiology and adult congenital heart disease, D33
Report of the National Heart, Lung, and Blood Institute working group on research in adult congenital heart disease, 701
Results of catheter-based therapy compared with surgical repair of adult aortic coarctation, 1101
Transcatheter closure of perimembranous ventricular septal defects using the new Amplatzer Membranous VSD Occluder, 319
Validation and re-evaluation of a discriminant model predicting anatomic suitability for biventricular repair in neonates with aortic stenosis, 1858
Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs (letter), 2128
- Constrictive pericarditis**
Brain natriuretic peptide levels in constrictive

- pericarditis and restrictive cardiomyopathy (correspondence), 1489
- Continuous positive airway pressure**
Obstructive sleep apnea syndrome, 1433
- Contractile dysfunction**
Involvement of the nicotinamide adenosine dinucleotide phosphate oxidase isoform Nox2 in cardiac contractile dysfunction occurring in response to pressure overload, 817
- Contrast agents**
See also Gadolinium
Novel contrast removal system from the coronary sinus using an adsorbing column during coronary angiography in a porcine model, 1866
Removal of iodine contrast from coronary sinus in swine during coronary angiography (correspondence), 465
When two tests are better than one (editorial), 1639
- Contrast echocardiography**
Highlights of the year in *JACC* 2005, 184
Microvascular permeabilization and cardiomyocyte injury provoked by myocardial contrast echocardiography in a canine model, 1464
Potential bioeffects of ultrasonic destruction of microbubble contrast agents (editorial), 1469
Year in echocardiography, 856
- Coronary angiography**
Novel contrast removal system from the coronary sinus using an adsorbing column during coronary angiography in a porcine model, 1866
Promise of quantitative computed tomography coronary angiography and noninvasive segmental coronary plaque quantification (editorial), 678
Removal of iodine contrast from coronary sinus in swine during coronary angiography (correspondence), 465
- Coronary arteries**
Coronary arteries after arterial switch surgery (letter), 1734
Initial experience with a magnetic navigation system for percutaneous coronary intervention in complex coronary artery lesions, 515
Number of yellow plaques detected in a coronary artery is associated with future risk of acute coronary syndrome detection of vulnerable patients by angiography, 2194
Plaque composition and its relationship with acknowledged shear stress patterns in coronary arteries (correspondence), 884
Sildenafil improves coronary artery patency in a canine model of platelet-mediated cyclic coronary occlusion after thrombolysis, 1471
- Coronary artery bypass grafting**
Comparison of coronary artery bypass surgery with percutaneous coronary intervention with drug-eluting stents for unprotected left main coronary artery disease, 864
Effects of N-3 fatty acids on postoperative atrial fibrillation following coronary artery bypass grafting (letter), 467
Evaluating the risk of coronary surgery and percutaneous coronary intervention (editorial), 669
Intense vasoconstriction in response to aspirate from stented saphenous vein aortocoronary bypass grafts, 981
- Coronary artery calcification**
Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events: The St. Francis Heart Study (letter), 2339
Relationship between plasma osteoprotegerin levels and coronary artery calcification in uncomplicated type 2 diabetic subjects, 1850
- Coronary artery disease**
Accuracy of multislice computed tomography in the preoperative assessment of coronary disease in patients with aortic valve stenosis, 2020
Angiotensin-converting enzyme inhibitors in coronary artery disease and preserved left ventricular systolic function, 1576
Are drug-eluting stents the preferred treatment for multivessel coronary artery disease?, 22
Cardiac rehabilitation, exercise training, and psychosocial risk factors (letter), 212
Comparison of B-type natriuretic peptides for assessment of cardiac function and prognosis in stable ischemic heart disease, 52
Comparison of coronary artery bypass surgery with percutaneous coronary intervention with drug-eluting stents for unprotected left main coronary artery disease, 864
Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events: The St. Francis Heart Study (letter), 2339
Coronary MDCT—a new standard for preoperative risk assessment?, 2025
Correlation between *Chlamydia pneumoniae* detection from coronary angioplasty balloons and atherosclerosis severity (correspondence), 1229
Detection of coronary artery disease in asymptomatic patients with type 2 diabetes mellitus, 65
Distal left main coronary disease is a major predictor of outcome in patients undergoing percutaneous intervention in the drug-eluting stent era, 1530
Hypertension, menopause, and coronary artery disease risk in the Women's Ischemia Syndrome Evaluation (WISE) study, 50S
Impact of body mass index on cardiac mortality in patients with known or suspected coronary artery disease undergoing myocardial perfusion single-photon emission computed tomography, 1418
Improved detection of coronary artery disease by stress perfusion cardiovascular magnetic resonance with the use of delayed enhancement infarction imaging, 1630
Mental stress provokes ischemia in coronary artery disease subjects without exercise- or adenosine-induced ischemia, 987
Myocardial contrast echocardiography for the detection of coronary artery stenosis, 141
Predictors of adverse outcome among patients with hypertension and coronary artery disease, 547
Prognostic value of pharmacological stress echocardiography in diabetic and nondiabetic patients with known or suspected coronary artery disease, 605
Prospective aortic screening in men with coronary aneurysms (correspondence), 1227
Protective anti-inflammatory phenotype in high-risk individuals who do not develop coronary artery disease (correspondence), 1085
Serum adiponectin levels are an independent predictor of the extent of coronary artery disease in men, 2124
Sirolimus-eluting versus paclitaxel-eluting stent implantation for the percutaneous treatment of left main coronary artery disease, 507
- Coronary artery spasm**
Life-threatening coronary artery spasm following sirolimus-eluting stent deployment (letter), 1911
- Coronary calcium**
Highlights of the year in *JACC* 2005, 184
- Coronary circulation**
Relationship between increasing body weight, insulin resistance, inflammation, adipocytokine leptin, and coronary circulation function, 1188
- Coronary heart disease**
Coronary risk factors and myocardial perfusion in asymptomatic adults, 565
Underestimated impact of smoking and smoking cessation on the risk of secondary cardiovascular disease events in patients with stable coronary heart disease: prospective cohort study (correspondence), 887
- Coronary lesions**
Bifurcation coronary lesions and the "crush" technique (letter), 2566
Quantification of coronary lesions by 64-slice computed tomography compared with quantitative coronary angiography and intravascular ultrasound (letter), 891
- Coronary obstructions**
Racial differences in prevalence of coronary obstructions among men with positive nuclear imaging studies, 2034
- Coronary occlusions**
Prediction of left ventricular function after drug-eluting stent implantation for chronic total coronary occlusions, 721
- Coronary plaque**
Accuracy of 64-slice computed tomography to classify and quantify plaque volumes in the proximal coronary system, 672
Accuracy of in vivo coronary plaque morphology assessment: a validation study of in vivo virtual histology compared with in vitro histopathology, 2405
Assessment of vulnerable plaques causing acute coronary syndrome using integrated backscatter intravascular ultrasound, 734
Atherosclerotic plaque characterization by multidetector row computed tomography angiography, C40
Cellular immunostaining of angiotensin-converting enzyme in human coronary atherosclerotic plaques, 1143
C-reactive protein and the vascular endothelium (editorial), 1379
Elevated plaque temperature in non-culprit de novo atheromatous lesions of patients with acute coronary syndromes, 301
Imaging vulnerable plaque by ultrasound, C32
Intracoronary palpography for vulnerable plaque assessment, C86
Intracoronary thermography for detection for high-risk vulnerable plaques, C80
Near-infrared spectroscopy for the detection of vulnerable coronary artery plaques, C92
New opportunities for identification and reduction of coronary risk, C2
Noncalcified and calcified coronary plaque detection by contrast-enhanced multi-detector computed tomography: a study of interobserver agreement (correspondence), 207
Noninvasive assessment of plaque morphology and composition in culprit and stable lesions in acute coronary syndrome and stable lesions in stable angina by multidetector computed tomography, 1655
Noninvasive detection of subclinical coronary

- atherosclerosis coupled with assessment of changes in plaque characteristics using novel invasive imaging modalities, 1134
- Number of yellow plaques detected in a coronary artery is associated with future risk of acute coronary syndrome detection of vulnerable patients by angiography, 2194
- Pathology of the vulnerable plaque, C13
- Plaque characterization with optical coherence tomography, C69
- Promise of quantitative computed tomography coronary angiography and noninvasive segmental coronary plaque quantification (editorial), 678
- Radionuclide imaging for the detection of inflammation in vulnerable plaques, C57
- Role of magnetic resonance and intravascular magnetic resonance in the detection of vulnerable plaques, C48
- Coronary sinus**
- Novel contrast removal system from the coronary sinus using an adsorbing column during coronary angiography in a porcine model, 1866
- Removal of iodine contrast from coronary sinus in swine during coronary angiography (correspondence), 465
- Shortening of fibrillatory cycle length in the pulmonary vein during vagal excitation, 774
- Coronary vascular reactivity**
- Impaired coronary vascular reactivity and functional capacity in women, 44S
- C-reactive protein**
- Anti-inflammatory action of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers (letter), 889
- Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events: The St. Francis Heart Study (letter), 2339
- C-reactive protein and other emerging blood biomarkers to optimize risk stratification of vulnerable patients, C19
- C-reactive protein and the vascular endothelium (editorial), 1379
- C-reactive protein induces matrix metalloproteinase-1 and -10 in human endothelial cells, 1369
- Decline in C-reactive protein after successful ablation of long-lasting persistent atrial fibrillation (correspondence), 1231
- Early inflammation and risk of long-term development of heart failure and mortality in survivors of acute myocardial infarction, 962
- Relationship between plasma osteoprotegerin levels and coronary artery calcification in uncomplicated type 2 diabetic subjects, 1850
- Release of C-reactive protein by stenting (letter), 1733
- Creatine kinase**
- Prognostic implications of creatine kinase elevation after primary percutaneous coronary intervention for acute myocardial infarction, 951
- Creatine kinase-MB**
- Frequency and clinical implications of discordant creatine kinase-MB and troponin measurement in acute coronary syndromes, 312
- "Crush" technique**
- Bifurcation coronary lesions and the "crush" technique (letter), 2566
- Limitations of Crush technique (letter), 1915
- Long-term outcomes following stenting of bifurcation lesions utilizing the "crush" technique: predictors of an adverse outcome, 1949
- Cyclic Arg-Gly-Asp peptide**
- Novel drug-eluting stent coated with an integrin-binding cyclic Arg-Gly-Asp peptide inhibits neointimal hyperplasia by recruiting endothelial progenitor cells, 1786
- Cyclosporin A**
- Coronary endothelial vasomotor function and vascular remodeling in heart transplant recipients randomized for tacrolimus or cyclosporine immunosuppression, 1622
- Decompensated heart failure**
- Clinical presentation, management, and in-hospital outcome of patients admitted with acute decompensated heart failure with preserved systolic function, 76
- Non-hypotensive low dose nesiritide has differential renal effects compared to standard dose nesiritide in patients with acute decompensated heart failure and renal dysfunction (correspondence), 2334
- Degenerative valve disease**
- Human degenerative valve disease is associated with up-regulation of low-density lipoprotein receptor-related protein 5 receptor-mediated bone formation, 1707
- Delayed enhancement-magnetic resonance imaging**
- Delayed gadolinium-enhanced cardiac magnetic resonance in patients with chronic myocarditis presenting with heart failure or recurrent arrhythmias, 1649
- Reproducibility of chronic and acute infarct size measurement by delayed enhancement-magnetic resonance imaging, 1641
- Diabetes mellitus**
- Detection of coronary artery disease in asymptomatic patients with type 2 diabetes mellitus, 65
- Diabetes lowers six-minute walk test performance in heart failure (correspondence), 1909
- Dobutamine stress echocardiography in patients with diabetes mellitus, 1029
- Family history of diabetes mellitus is a major determinant of endothelial function, (June 20: Goldfine, Beckman)
- Highlights of the year in *JACC* 2005, 184
- Increased myocardial fatty acid metabolism in patients with type 1 diabetes mellitus, 598
- Metabolic syndrome: connecting and reconciling cardiovascular and diabetes worlds, 1093
- Peripheral arterial disease in patients with diabetes, 921
- Preventing type 2 diabetes mellitus with angiotensin blockade: is it clinically relevant? (letter), 1913
- Prognostic value of pharmacological stress echocardiography in diabetic and nondiabetic patients with known or suspected coronary artery disease, 605
- Relationship between plasma osteoprotegerin levels and coronary artery calcification in uncomplicated type 2 diabetic subjects, 1850
- Thromboxane-dependent CD40 ligand release in type 2 diabetes mellitus, 391
- Vascular smooth muscle cells apoptosis in asymptomatic diabetic carotid plaques: role of glycemic control (correspondence), 2118
- Diabetic cardiomyopathy**
- Paradoxical increase in ventricular torsion and systolic torsion rate in type I diabetic patients under tight glycemic control, 384
- Pathogenesis of myocardial fibrosis in the setting of diabetic cardiomyopathy, 693
- Diagnostic testing**
- Diagnostic testing, D23
- Diastolic blood pressure**
- Hypertension and smoking are associated with reduced regional left ventricular function in asymptomatic individuals, 1150
- Diastolic dysfunction**
- Diastolic heart failure can be diagnosed by comprehensive two-dimensional and Doppler echocardiography, 500
- Diastolic function**
- Long-term caloric restriction ameliorates the decline in diastolic function in humans, 398
- Diastolic wall stress**
- B-type natriuretic peptide strongly reflects diastolic wall stress in patients with chronic heart failure, 742
- Diet**
- High fat/high carbohydrate diet induces aortic valve disease in C57BL/6J mice, 851
- Long-term caloric restriction ameliorates the decline in diastolic function in humans, 398
- Dilated cardiomyopathy**
- Effects of combined versus selective adrenergic blockade on left ventricular and systemic hemodynamics, myocardial substrate preference, and regional perfusion in conscious dogs with dilated cardiomyopathy, 1871
- Viruses and other environmental factors as possible sources of phenotypic heterogeneity in familial dilated cardiomyopathy (letter), 689
- Dipyridamole stress N-13 ammonia positron emission tomography**
- Treadmill exercise produces larger perfusion defects than dipyridamole stress N-13 ammonia positron emission tomography, 411
- Dobutamine**
- Effects of normal aging on left ventricular lusitropic, inotropic, and chronotropic responses to dobutamine, 1440
- Dobutamine stress echocardiography**
- Dobutamine stress echocardiography in patients with diabetes mellitus, 1029
- Year in echocardiography, 856
- Dobutamine stress myocardial perfusion imaging**
- Risk stratification with electrocardiographic-gated dobutamine stress technetium-99m sestamibi single-photon emission tomographic imaging, 781
- Doppler echocardiography**
- Diastolic heart failure can be diagnosed by comprehensive two-dimensional and Doppler echocardiography, 500
- Flow-dependent changes in Doppler-derived aortic valve effective orifice area are real and not due to artifact, 131
- Grading of myocardial dysfunction by tissue Doppler echocardiography, 1672
- Hemodynamic assessment of aortic stenosis (editorial), 138
- Year in echocardiography, 856
- Drug-eluting stents**
- See also* Stents
- Allergic reactions after the implantation of drug-eluting stents (editorial), 182
- Are drug-eluting stents the preferred treatment for multivessel coronary artery disease?, 22
- Clinical results of a platelet glycoprotein IIb/IIIa receptor blocker (abciximab: ReoPro)-coated stent in acute myocardial infarction, 933
- Comparison of coronary artery bypass surgery with

- percutaneous coronary intervention with drug-eluting stents for unprotected left main coronary artery disease, 864
- Coronary stent thrombosis in the current drug-eluting stent era: insights from the ERACI III trial (correspondence), 205
- Distal left main coronary disease is a major predictor of outcome in patients undergoing percutaneous intervention in the drug-eluting stent era, 1530
- Drug eluting stent restenosis: the pattern predicts the outcome, 2399
- Drug-eluting stent thrombosis: a pooled analysis (letter), 214
- Drug-eluting stenting for unprotected left main coronary artery disease (editorial), 878
- Drug-eluting stents and late adverse clinical outcomes: lessons learned, lessons awaited, 2112
- Drug-eluting stents are safe and effective (editorial), 1361
- Drug-eluting stents in the treatment of intermediate lesions: pooled analysis from four randomized trials, 2164
- Endothelial dysfunction after drug-eluting stent was never predicted in clinical studies (letter), 1911
- Highlights of the year in *JACC* 2005, 184
- Hypersensitivity cases associated with drug-eluting coronary stents, 175
- Intravascular ultrasound analysis of polymer-based paclitaxel-eluting stents (letter), 470
- Limitations of Crush technique (letter), 1915
- Novel drug-eluting stent coated with an integrin-binding cyclic Arg-Gly-Asp peptide inhibits neointimal hyperplasia by recruiting endothelial progenitor cells, 1786
- Persistence of neointimal growth 12 months after intervention and occurrence of delayed restenosis in patients with left main coronary artery disease treated with drug-eluting stents (correspondence), 1491
- Prediction of left ventricular function after drug-eluting stent implantation for chronic total coronary occlusions, 721
- Sirolimus and paclitaxel on polymer-based drug-eluting stents, 708
- Value of selectivity (editorial), 719
- Duke Activity Status Index**
- Impaired coronary vascular reactivity and functional capacity in women, 44S
- Value of estimated functional capacity in estimating outcome, 36S
- Dyssynergy**
- Patients with hibernating myocardium show altered left ventricular volumes and shape, which revert after revascularization, 969
- Early afterdepolarizations**
- Sodium-calcium exchange initiated by the Ca^{2+} transient, 1196
- Echocardiography**
- Analysis of regional left ventricular function by cineventriculography, cardiac magnetic resonance imaging, and unenhanced and contrast-enhanced echocardiography, 121
- Do you see what I see? (editorial), 129
- Dynamic ventricular dyssynchrony: an exercise-echocardiography study, 2253
- Fabry's disease cardiomyopathy, 1663
- Grading of myocardial dysfunction by tissue Doppler echocardiography, 1672
- Highlights of the year in *JACC* 2005, 184
- Imaging and quantification of myocardial perfusion using real-time three-dimensional echocardiography, 146
- Measurement of strain and strain rate by echocardiography, 1313
- Microvascular permeabilization and cardiomyocyte injury provoked by myocardial contrast echocardiography in a canine model, 1464
- Myocardial contrast echocardiography for the detection of coronary artery stenosis, 141
- Noninvasive myocardial strain measurement by speckle tracking echocardiography, 789
- Potential bioeffects of ultrasonic destruction of microbubble contrast agents (editorial), 1469
- Prediction of cardiovascular outcomes with left atrial size, 1018
- Predictive value of normal left atrial volume in stress echocardiography, 1024
- Prognostic value of pharmacological stress echocardiography in diabetic and nondiabetic patients with known or suspected coronary artery disease, 605
- Year in echocardiography, 856
- Editorials**
- Allergic reactions after the implantation of drug-eluting stents, 182
- B-type natriuretic peptides and the stressed heart, 749
- Cardiovascular aging, 403
- Cardiovascular risk in patients with human immunodeficiency virus infection, 1124
- Clinical research designs and implantable defibrillator indications, 108
- Coming of age of natriuretic peptides, 61
- C-reactive protein and the vascular endothelium, 1379
- Diversity in *JACC*, 2561
- Do you see what I see?, 129
- Drug-eluting stenting for unprotected left main coronary artery disease, 878
- Drug-eluting stents are safe and effective, 1361
- Emerging role of statins in the treatment of heart failure, 342
- Evaluating the risk of coronary surgery and percutaneous coronary intervention, 669
- Future of an illusion, 2380
- Growing problem of obesity and the heart, 617
- Hemodynamic assessment of aortic stenosis, 138
- Hibernating myocardium, 978
- Highest dominant frequencies in atrial fibrillation, 1408
- Incomplete neointimal coverage of sirolimus-eluting stents (editorial), 2108
- Limitations of left ventricular ejection fraction as the major determinant for primary prevention implantable cardioverter-defibrillators, 1167
- Mapping the journey, 1612
- Multi-Ethnic Study of Atherosclerosis (MESA) and myocardial function, 1159
- New insights into improving acute and long term outcomes of carotid stenting, 2397
- Nitric oxide metabolites and cardiovascular disease, 580
- Patent foramen ovale, guilty but only as a gang member and for a lesser crime, 446
- Payments for debts associated with exercise can become higher as we age and limit exercise capacity, 1058
- Perils of connectivity, 2116
- Positively magnetic north, 1646
- Potential bioeffects of ultrasonic destruction of microbubble contrast agents, 1469
- Promise of quantitative computed tomography coronary angiography and noninvasive segmental coronary plaque quantification, 678
- QTc prolongation and sudden cardiac death, 368
- Regional left ventricular electric and mechanical activation and relaxation, 173
- Timing for transplant; superior genetics or social prejudice, 2243
- Tincture of time, 1818
- Unsung hero, 1722
- Upstream/downstream, 538
- Value of selectivity, 719
- When two tests are better than one, 1639
- Effective orifice area**
- Flow-dependent changes in Doppler-derived aortic valve effective orifice area are real and not due to artifact, 131
- Hemodynamic phenomenon or geometric discrepancy? (letter), 213
- Elderly**
- See also* Aging; Older adults
- Metabolic syndrome and the risk of cardiovascular disease in older adults, 1595
- Prevalence of the metabolic syndrome and its relation to cardiovascular disease in an elderly Chinese population, 1588
- Electrocardiogram**
- Pre-hospital electrocardiogram and time to reperfusion in patients with acute myocardial infarction, 2000–2002, 1544
- Electrocardiography**
- Pre-hospital 12-lead electrocardiography programs, 485
- Prolonged QTc interval and risk of sudden cardiac death in a population of older adults, 362
- Ratio of late to early T-wave peak amplitude in 24-h electrocardiographic recordings as indicator of symptom history in patients with long-QT syndrome types 1 and 2, 112
- Risk stratification with electrocardiographic-gated dobutamine stress technetium-99m sestamibi single-photon emission tomographic imaging, 781
- Electrophysiology**
- Highlights of the year in *JACC* 2005, 184
- Sodium-calcium exchange initiated by the Ca^{2+} transient, 1196
- Task force 6: training in specialized electrophysiology, cardiac pacing, and arrhythmia management, 904
- Trans-septal catheterization in the electrophysiology laboratory, 1037
- Year in clinical electrophysiology, 1207
- Embolism**
- Patent foramen ovale, guilty but only as a gang member and for a lesser crime (editorial), 446
- Patent foramen ovale: innocent or guilty?, 440
- Year in interventional cardiology, 1689
- Enalapril**
- Early versus delayed enalapril in patients with left ventricular systolic dysfunction: impact on morbidity and mortality 15 years after the SOLVD trial (correspondence), 1904
- Endocardial mapping**
- Sites of focal atrial activity characterized by endocardial mapping during atrial fibrillation, 2005
- Endochordal bone**
- Human degenerative valve disease is associated with up-regulation of low-density lipoprotein receptor-related protein 5 receptor-mediated bone formation, 1707
- Endomyocardial biopsy**
- Delayed gadolinium-enhanced cardiac magnetic resonance in patients with chronic myocarditis presenting with heart failure or recurrent arrhythmias, 1649

Endothelial cells

- C-reactive protein induces matrix metalloproteinase-1 and -10 in human endothelial cells, 1369
- Drug-eluting stents and late adverse clinical outcomes: lessons learned, lessons awaited, 2112

Endothelial dysfunction

- Endothelial dysfunction after drug-eluting stent was never predicted in clinical studies (letter), 1911
- Family history of diabetes mellitus is a major determinant of endothelial function, 2456
- Plasma nitroso compounds are decreased in patients with endothelial dysfunction, 573

Endothelial progenitor cells

- Novel drug-eluting stent coated with an integrin-binding cyclic Arg-Gly-Asp peptide inhibits neointimal hyperplasia by recruiting endothelial progenitor cells, 1786

Endothelin-1

- Coronary endothelial vasomotor function and vascular remodeling in heart transplant recipients randomized for tacrolimus or cyclosporine immunosuppression, 1622

Endothelium

- C-reactive protein and the vascular endothelium (editorial), 1379

Endovascular therapy

- Endovascular therapy for chronic mesenteric ischemia, 944

Environment

- Role of inheritance and environment in predisposition to vascular disease in people of African descent, 1126

Eptifibatid

- Clinical characteristics predict benefits from eptifibatid therapy during coronary stenting, 715
- Correlates of bleeding events among moderate to high-risk patients undergoing percutaneous coronary intervention and treated with eptifibatid: observations from PROTECT-TIMI-30, 2374
- Randomized trial to evaluate the relative protection against post-PCI microvascular dysfunction, ischemia and inflammation among anti-platelet and anti-thrombotic agents: the PROTECT-TIMI-30 trial, 2364

Erythropoietin

- Highlights of the year in *JACC* 2005, 184
- Serum erythropoietin levels and infarct size (letter), 468

Ethnicity

- Impact of hospital volume on racial disparities in cardiovascular procedure mortality, 417

Exercise

- Caffeine decreases exercise-induced myocardial flow reserve, 405
- Delayed calf muscle phosphocreatine recovery after exercise identifies peripheral arterial disease, 2289
- Diabetes lowers six-minute walk test performance in heart failure (correspondence), 1909
- Diastolic stress echocardiography: hemodynamic validation and clinical significance of estimation of ventricular filling pressure with exercise, 1891
- Dynamic ventricular dyssynchrony: an exercise-echocardiography study, 2253
- Impaired stroke volume response to exercise in pulmonary arterial hypertension (correspondence), 1732

Influence of age, gender, and training on exercise efficiency, 1049

Mental stress provokes ischemia in coronary artery disease subjects without exercise- or adenosine-induced ischemia, 987

Payments for debts associated with exercise can become higher as we age and limit exercise capacity (editorial), 1058

Treadmill exercise produces larger perfusion defects than dipyridamole stress N-13 ammonia positron emission tomography, 411

Exercise training

Cardiac rehabilitation, exercise training, and psychosocial risk factors (letter), 212

Extracardiac Fontan circulation

Clinical outcome of 193 extracardiac Fontan patients: the first 15 years, 2065

Ezetimibe

Safety and efficacy of long-term co-administration of fenofibrate and ezetimibe in patients with mixed hyperlipidemia, 1584

Serum plant sterols and atherosclerosis: is there a place for statin-ezetimibe combination? (letter), 1496

Fabry's disease

Fabry's disease cardiomyopathy, 1663

Familial hypercholesterolemia

Oxidized low-density lipoprotein in children with familial hypercholesterolemia and unaffected siblings, 1803

Fats

High fat/high carbohydrate diet induces aortic valve disease in C57BL/6J mice, 851

Fatty acids

Increased myocardial fatty acid metabolism in patients with type 1 diabetes mellitus, 598

Fellowship

Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs (letter), 2128

Femoral atherosclerosis

Oxidized phospholipids predict the presence and progression of carotid and femoral atherosclerosis and symptomatic cardiovascular disease: five-year prospective results from the Bruneck study, 2219

Fenofibrate

Safety and efficacy of long-term co-administration of fenofibrate and ezetimibe in patients with mixed hyperlipidemia, 1584

Folic acid

Cardiovascular morbidity and mortality in the Atherosclerosis and Folic Acid Supplementation Trial (ASFAST) in chronic renal failure, 1108

Fontan circulation

Cardiac rest and reserve function in patients with Fontan circulation, 2528

Clinical outcome of 193 extracardiac Fontan patients: the first 15 years, 2065

Fractional flow reserve

Fractional flow reserve of infarct related arteries identifies reversible defects on non-invasive myocardial perfusion imaging early after myocardial infarction, 2187

G1648A

Genetic polymorphisms of platelet glycoprotein Ia and the risk for premature myocardial infarction: effects of the release of sCD40L during the acute phase of premature myocardial infarction, 1959

Gadolinium

See also Contrast agents
Characterization of radiofrequency ablation lesions

with gadolinium-enhanced cardiovascular magnetic resonance imaging, 370

Delayed gadolinium-enhanced cardiac magnetic resonance in patients with chronic myocarditis presenting with heart failure or recurrent arrhythmias, 1649

When two tests are better than one (editorial), 1639

Gender

Effects of gender on peak oxygen consumption and the timing of cardiac transplantation, 2237

Influence of age, gender, and training on exercise efficiency, 1049

Insights from the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE) study, 4S, 21S

Ischemic heart disease in women, 1S

Women, ischemic heart disease, revascularization, and the gender gap, 63S

Genetic polymorphisms

Genetic polymorphisms of platelet glycoprotein Ia and the risk for premature myocardial infarction: effects of the release of sCD40L during the acute phase of premature myocardial infarction, 1959

Genetic testing

Effect of clinical phenotype on yield of long QT syndrome genetic testing, 764

Genomics

Cardiac regeneration, 1769

Genomics and cardiac arrhythmias, 9

Geographical differences

Geographical differences in the rates of angiographic stenosis and ischemia-driven target vessel revascularization after percutaneous coronary interventions, 34

Glucose-insulin-potassium

Glucose-insulin-potassium infusion in patients with acute myocardial infarction without signs of heart failure: The Glucose-Insulin-Potassium Study (GIPS)-II (correspondence), 1730

Glutathione

Relationship between plasma levels of oxidized and reduced thiols and early atherosclerosis in healthy adults, 1005

Glycemic control

Vascular smooth muscle cells apoptosis in asymptomatic diabetic carotid plaques: role of glycemic control (correspondence), 2118

Glycoprotein Ia

Genetic polymorphisms of platelet glycoprotein Ia and the risk for premature myocardial infarction: effects of the release of sCD40L during the acute phase of premature myocardial infarction, 1959

Glycoprotein IIb/IIIa

Dependence of platelet thrombus stability on sustained glycoprotein IIb/IIIa activation through adenosine 5'-diphosphate receptor stimulation and cyclic calcium signaling, 155

Glycoprotein IIb/IIIa inhibitors

Clinical results of a platelet glycoprotein IIb/IIIa receptor blocker (abciximab: ReoPro)-coated stent in acute myocardial infarction, 933

Randomized trial to evaluate the relative protection against post-PCI microvascular dysfunction, ischemia and inflammation among anti-platelet and anti-thrombotic agents: the PROTECT-TIMI-30 trial, 2364

Role of risk stratification in the decision to provide upstream versus selective glycoprotein IIb/IIIa inhibitors for acute coronary syndromes, 529
Upstream/downstream (editorial), 538

Glycosphingolipids

Fabry's disease cardiomyopathy, 1663

Granulocyte colony-stimulating factor

Cardioprotective effects of granulocyte colony-stimulating factor in swine with chronic myocardial ischemia, 842

Macrophage colony-stimulating factor treatment after myocardial infarction attenuates left ventricular dysfunction by accelerating infarct repair, 626

Head-up tilt test

Implantable loop recorder study of highly symptomatic vasovagal patients, 587

Health care

Big chill: adverse effects of public reporting on access to health care (letter), 1737

Health status

Health status identifies heart failure outpatients at risk for hospitalization or death, 752

Heart attack

See Cardiac arrest

Heart disease

Heart disease risk determines menopausal age rather than the reverse, 1976

Insights from the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE) study, 4S

Ischemic heart disease in women, 1S

Menopause and cardiovascular risk: cause or consequence?, 1984

Women and cardiovascular heart disease: clinical implications from the Women's Ischemia Syndrome Evaluation (WISE) study, 59S

Heart failure

Aerobic training decreases B-type natriuretic peptide expression and adrenergic activation in patients with heart failure, 1835

Aquaretic effect of lixivaptan, an oral, non-peptide, selective V2 receptor vasopressin antagonist, in New York Heart Association functional class II and III chronic heart failure patients, 1615

Atorvastatin improves left ventricular systolic function and serum markers of inflammation in nonischemic heart failure, 332

Atrial fibrillation and risk of clinical events in chronic heart failure with and without left ventricular systolic dysfunction: results from the Candesartan in Heart Failure—Assessment of Reduction in Mortality and Morbidity (CHARM) program, 1997

Beta-blocker use and outcomes among hospitalized heart failure patients, 2462

B-type natriuretic peptide levels in obese patients with advanced heart failure, 85

B-type natriuretic peptide strongly reflects diastolic wall stress in patients with chronic heart failure, 742

Cardiac function and heart failure, D18

Clinical presentation, management, and in-hospital outcome of patients admitted with acute decompensated heart failure with preserved systolic function, 76

Comparison of the effects of carvedilol and metoprolol on well-being, morbidity, and mortality (the "patient journey") in patients with heart failure, 1603

Delayed gadolinium-enhanced cardiac magnetic resonance in patients with chronic myocarditis presenting with heart failure or recurrent arrhythmias, 1649

Diabetes lowers six-minute walk test performance in heart failure (correspondence), 1909

Diastolic heart failure can be diagnosed by

comprehensive two-dimensional and Doppler echocardiography, 500

Early inflammation and risk of long-term development of heart failure and mortality in survivors of acute myocardial infarction, 962

Effects of gender on peak oxygen consumption and the timing of cardiac transplantation, 2237

Emerging role of statins in the treatment of heart failure (editorial), 342

Growing problem of obesity and the heart (editorial), 617

Health status identifies heart failure outpatients at risk for hospitalization or death, 752

Highlights of the year in *JACC* 2005, 184

Inspiratory muscle training in patients with heart failure and inspiratory muscle weakness, 757

Intensive statin therapy and the risk of hospitalization for heart failure after an acute coronary syndrome in the PROVE IT-TIMI 22 study, 2326

Is brain natriuretic peptide production is decreased in obese subjects? (correspondence), 886

Mapping the journey (editorial), 1612

Neutral effect on markers of heart failure, inflammation, endothelial activation and function, and vagal tone after high-dose HMG-CoA reductase inhibition in non-diabetic patients with non-ischemic cardiomyopathy and average low-density lipoprotein level, 338

Non-hypotensive low dose nesiritide has differential renal effects compared to standard dose nesiritide in patients with acute decompensated heart failure and renal dysfunction (correspondence), 2334

Prevalence of thiamin deficiency in hospitalized patients with congestive heart failure, 354

Relationship between renal function and plasma brain natriuretic peptide in patients with heart failure, 582

Renal function, congestive heart failure, and aminoterminal pro-brain natriuretic peptide measurement, 91

Renal impairment and outcomes in heart failure: systematic review and meta-analysis, 1987

Same bridge, new destinations, 930

Serum erythropoietin levels and infarct size (letter), 468

Transthyretin V122I in African Americans with congestive heart failure (correspondence), 1724

Utility of impedance cardiography for the identification of short-term risk of clinical decompensation in stable patients with chronic heart failure, 2245

Year in echocardiography, 856

Heart transplantation

Effects of gender on peak oxygen consumption and the timing of cardiac transplantation, 2237

Timing for transplant; superior genetics or social prejudice (editorial), 2243

Hematopoietic stem cells

Intracoronary delivery of hematopoietic bone marrow stem cells and luminal loss of the infarct-treated artery in patients with recent myocardial infarction (correspondence), 1727

Heme oxygenase-1

Chronic recurrent myocardial ischemic injury is significantly attenuated by pre-emptive adeno-associated virus heme oxygenase-1 gene delivery, 635

Hemodynamics

Diastolic stress echocardiography: hemodynamic validation and clinical significance of

estimation of ventricular filling pressure with exercise, 1891

Effects of combined versus selective adrenergic blockade on left ventricular and systemic hemodynamics, myocardial substrate preference, and regional perfusion in conscious dogs with dilated cardiomyopathy, 1871

Hemodynamic assessment of aortic stenosis (editorial), 138

Hemodynamic phenomenon or geometric discrepancy? (letter), 213

Paired ventricular stimulation: an approach for hemodynamic stabilization during ventricular tachycardia (correspondence), 2337

Rate, predictors, and consequences of hemodynamic depression after carotid artery stenting, 1538

Hemorrhage

Comparison of the clinical impact of bleeding measured by two different classifications among patients with acute coronary syndromes, 809

Risk of hemorrhage among patients with warfarin-associated coagulopathy, 804

Hibernating myocardium

Hibernating myocardium (editorial), 978

Patients with hibernating myocardium show altered left ventricular volumes and shape, which revert after revascularization, 969

High density lipoprotein-cholesterol

Myeloperoxidase predicts progression of carotid stenosis in states of low HDL-cholesterol, 2212

High-density lipoprotein cholesterol

Relationship between atheroma regression and change in lumen size after infusion of apolipoprotein A-I Milano, 992

Targeting cholesteryl ester transfer protein for the prevention and management of cardiovascular disease, 492

Highly active antiretroviral therapy

Cardiovascular risk in patients with human immunodeficiency virus infection (editorial), 1124

HMG-CoA reductase inhibitors

See also Statins

Emerging role of statins in the treatment of heart failure (editorial), 342

Neutral effect on markers of heart failure, inflammation, endothelial activation and function, and vagal tone after high-dose HMG-CoA reductase inhibition in non-diabetic patients with non-ischemic cardiomyopathy and average low-density lipoprotein level, 338

Homocysteine

Maternal homocysteine and congenital heart defects (correspondence), 683

Hormone replacement therapy

Hormone replacement therapy and the cardiovascular system, 1741

Hospitals

Clinical presentation, management, and in-hospital outcome of patients admitted with acute decompensated heart failure with preserved systolic function, 76

Hospital improvement in time to reperfusion in patients with acute myocardial infarction, 1999 to 2002, 45

Impact of hospital volume on racial disparities in cardiovascular procedure mortality, 417

Risk score to predict in-hospital mortality for percutaneous coronary interventions, 654

- Total of 1,007 percutaneous coronary interventions without onsite cardiac surgery, 1713
- Human immunodeficiency virus**
Cardiovascular risk in patients with human immunodeficiency virus infection (editorial), 1124
Functional and structural markers of atherosclerosis in human immunodeficiency virus-infected patients, 1117
- Hypercholesterolemia**
Oxidized low-density lipoprotein in children with familial hypercholesterolemia and unaffected siblings, 1803
Protective anti-inflammatory phenotype in high-risk individuals who do not develop coronary artery disease (correspondence), 1085
- Hyperlipidemia**
Safety and efficacy of long-term co-administration of fenofibrate and ezetimibe in patients with mixed hyperlipidemia, 1584
- Hypersensitivity reactions**
Allergic reactions after the implantation of drug-eluting stents (editorial), 182
Hypersensitivity cases associated with drug-eluting coronary stents, 175
- Hypertension**
See also Pulmonary arterial hypertension
Beta-blockade mitigates exercise blood pressure in hypertensive male patients, 794
Development of mild aortic valve stenosis in a rabbit model of hypertension, 2303
Hypertension, menopause, and coronary artery disease risk in the Women's Ischemia Syndrome Evaluation (WISE) study, 50S
Hypertension and smoking are associated with reduced regional left ventricular function in asymptomatic individuals, 1150
Predictors of adverse outcome among patients with hypertension and coronary artery disease, 547
Prognosis of masked hypertension and white-coat hypertension detected by 24-h ambulatory blood pressure monitoring (letter), 2127
Vascular disease, hypertension, and prevention, D3
- Hypertrophic cardiomyopathy**
See also Cardiomyopathy
AHA/ACCF scientific statement on the evaluation of syncope, 473
Antifibrotic effects of antioxidant N-acetylcysteine in a mouse model of human hypertrophic cardiomyopathy mutation, 827
Fabry's disease cardiomyopathy, 1663
Global and regional myocardial function quantification by two-dimensional strain, 1175
Highlights of the year in *JACC* 2005, 184
Relevance of coronary microvascular flow impairment to long-term remodeling and systolic dysfunction in hypertrophic cardiomyopathy, 1043
- Hypothermia**
Rapid induction of cerebral hypothermia is enhanced with active compression-decompression plus inspiratory impedance threshold device cardiopulmonary resuscitation in a porcine model of cardiac arrest, 835
- Idiopathic dilated cardiomyopathy**
Prognostic value of pacing-induced mechanical alternans in patients with mild-to-moderate idiopathic dilated cardiomyopathy in sinus rhythm, 1382
- Idiopathic pulmonary hypertension**
Relationship of pulmonary arterial capacitance and mortality in idiopathic pulmonary arterial hypertension, 799
- Imaging**
See also Computed tomography; Magnetic resonance imaging; Single-photon emission computed tomography
Analysis of regional left ventricular function by cineventriculography, cardiac magnetic resonance imaging, and unenhanced and contrast-enhanced echocardiography, 121
Epilogue: What do clinicians expect from imagers?, C101
Molecular and cellular imaging of atherosclerosis, 1328
President's page: Making imaging beautiful, 1485
Task force 12: training in advanced cardiovascular imaging (cardiovascular magnetic resonance [CMR]), 910
Task force 12: training in advanced cardiovascular imaging (computed tomography), 915
Treadmill exercise produces larger perfusion defects than dipyridamole stress N-13 ammonia positron emission tomography, 411
- Immunosuppression**
Coronary endothelial vasomotor function and vascular remodeling in heart transplant recipients randomized for tacrolimus or cyclosporine immunosuppression, 1622
- Impedance cardiography**
Utility of impedance cardiography for the identification of short-term risk of clinical decompensation in stable patients with chronic heart failure, 2245
- Implantable cardioverter-defibrillators**
Clinical research designs and implantable defibrillator indications (editorial), 108
The cost effectiveness of implantable cardioverter-defibrillators: results from the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 2310
Frequency and incremental cost of major complications among Medicare beneficiaries receiving implantable cardioverter defibrillators, 2493
Implantable cardioverter-defibrillator therapy in clinical practice, 1507
Limitations of left ventricular ejection fraction as the major determinant for primary prevention implantable cardioverter-defibrillators (editorial), 1167
Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction, 456
Predictive value of ventricular arrhythmia inducibility for subsequent ventricular tachycardia or ventricular fibrillation in Multicenter Automatic Defibrillator Implantation Trial (MADIT) II patients, 98
Reduction in ventricular tachyarrhythmias with statins in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 769
Time dependence of defibrillator benefit after coronary revascularization in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 1811
Tincture of time (editorial), 1818
Year in clinical electrophysiology, 1207
- Implantable loop recorders**
Implantable loop recorder study of highly symptomatic vasovagal patients, 587
- Infarct**
Intracoronary delivery of hematopoietic bone marrow stem cells and luminal loss of the infarct-treated artery in patients with recent myocardial infarction (correspondence), 1727
- Reproducibility of chronic and acute infarct size measurement by delayed enhancement-magnetic resonance imaging, 1641
- Infarct-related arteries**
Fractional flow reserve of infarct related arteries identifies reversible defects on non-invasive myocardial perfusion imaging early after myocardial infarction, 2187
- Infection**
Oxidized LDL autoantibodies, chronic infections and carotid atherosclerosis in a population-based study, 2436
- Infective endocarditis**
Year in valvular heart disease, 427
- Inflammation**
Atorvastatin improves left ventricular systolic function and serum markers of inflammation in nonischemic heart failure, 332
Cellular immunostaining of angiotensin-converting enzyme in human coronary atherosclerotic plaques, 1143
Early inflammation and risk of long-term development of heart failure and mortality in survivors of acute myocardial infarction, 962
Link between arterial inflammation and circadian rhythm: the oversight aspect in the year 2004 (letter), 688
Neutral effect on markers of heart failure, inflammation, endothelial activation and function, and vagal tone after high-dose HMG-CoA reductase inhibition in non-diabetic patients with non-ischemic cardiomyopathy and average low-density lipoprotein level, 338
Pregnancy associated plasma protein-A is markedly expressed by monocyte-macrophage cells in vulnerable and ruptured carotid atherosclerotic plaques: a link between inflammation and cerebrovascular events, 2201
Radionuclide imaging for the detection of inflammation in vulnerable plaques, C57
Randomized trial to evaluate the relative protection against post-PCI microvascular dysfunction, ischemia and inflammation among anti-platelet and anti-thrombotic agents: the PROTECT-TIMI-30 trial, 2364
Relationship between increasing body weight, insulin resistance, inflammation, adipocytokine leptin, and coronary circulation function, 1188
- Inheritance**
Role of inheritance and environment in predisposition to vascular disease in people of African descent, 1126
- Inspiratory impedance threshold device**
Rapid induction of cerebral hypothermia is enhanced with active compression-decompression plus inspiratory impedance threshold device cardiopulmonary resuscitation in a porcine model of cardiac arrest, 835
- Inspiratory muscle training**
Inspiratory muscle training in patients with heart failure and inspiratory muscle weakness, 757
- In-stent restenosis**
Randomized comparison of sirolimus-eluting stent with balloon angioplasty in patients with in-stent restenosis, 2152
Treatment of stent restenosis: moving beyond momentum, 2161
- Insulin**
Glucose-insulin-potassium infusion in patients with acute myocardial infarction without signs of heart failure: The Glucose-Insulin-Potassium Study (GIPS)-II (correspondence), 1730

Insulin resistance

Relationship between increasing body weight, insulin resistance, inflammation, adipocytokine leptin, and coronary circulation function, 1188

Interleukin-6

Relationship between plasma osteoprotegerin levels and coronary artery calcification in uncomplicated type 2 diabetic subjects, 1850

Intermediate lesions

Drug-eluting stents in the treatment of intermediate lesions: pooled analysis from four randomized trials, 2164

Interstitial fibrosis

Antifibrotic effects of antioxidant N-acetylcysteine in a mouse model of human hypertrophic cardiomyopathy mutation, 827

Interventional cardiology

Aspirin and clopidogrel drug response in patients undergoing percutaneous coronary intervention, 27

Clinical characteristics predict benefits from eptifibatid therapy during coronary stenting, 715

Clinical results of a platelet glycoprotein IIb/IIIa receptor blocker (abciximab: ReoPro)-coated stent in acute myocardial infarction, 933

Door-to-balloon time with primary percutaneous coronary intervention for acute myocardial infarction impacts late cardiac mortality in high-risk patients and patients presenting early after the onset of symptoms, 289

Geographical differences in the rates of angiographic restenosis and ischemia-driven target vessel revascularization after percutaneous coronary interventions, 34

i2 innovation in intervention summit, D9

Sirolimus-eluting versus paclitaxel-eluting stent implantation for the percutaneous treatment of left main coronary artery disease, 507

Two-year outcomes after sirolimus-eluting stent implantation, 1350

Year in interventional cardiology, 1689

Intima media thickness

Oxidized low-density lipoprotein in children with familial hypercholesterolemia and unaffected siblings, 1803

Role of inheritance and environment in predisposition to vascular disease in people of African descent, 1126

Intracoronary palpography

Intracoronary palpography for vulnerable plaque assessment, C86

Intracoronary thermography

Intracoronary thermography for detection for high-risk vulnerable plaques, C80

Intravascular radiation

Intravascular radiation detectors for the detection of vulnerable atheroma, C97

Intravascular ultrasound

See also Ultrasound

Accuracy of 64-slice computed tomography to classify and quantify plaque volumes in the proximal coronary system, 672

Accuracy of in vivo coronary plaque morphology assessment: a validation study of in vivo virtual histology compared with in vitro histopathology, (June 20: Nasu, Tsuchikane)

Assessment of vulnerable plaques causing acute coronary syndrome using integrated backscatter intravascular ultrasound, 734

Coronary arteries after arterial switch surgery (letter), 1734

Highlights of the year in *JACC* 2005, 184

Imaging vulnerable plaque by ultrasound, C32

Intravascular ultrasound analysis of polymer-based paclitaxel-eluting stents (letter), 470

Mechanisms and predictors of carotid artery stent restenosis: a serial intravascular ultrasound study, (June 20: Clark, Lessio)

Noninvasive detection of subclinical coronary atherosclerosis coupled with assessment of changes in plaque characteristics using novel invasive imaging modalities, 1134

Quantification of coronary lesions by 64-slice computed tomography compared with quantitative coronary angiography and intravascular ultrasound (letter), 891

Relationship between cardiovascular risk factors and atherosclerotic disease burden measured by intravascular ultrasound, 1967

Remodeling index compared to actual vascular remodeling in atherosclerotic left main coronary arteries as assessed with long-term (≥ 12 months) serial intravascular ultrasound, 1363

Vascular effects of sirolimus-eluting versus bare metal stents in diabetic patients: three-dimensional ultrasound results of the DIABETES trial, 2172

Iodine

Removal of iodine contrast from coronary sinus in swine during coronary angiography (correspondence), 465

Ischemia

Endovascular therapy for chronic mesenteric ischemia, 944

Geographical differences in the rates of angiographic restenosis and ischemia-driven target vessel revascularization after percutaneous coronary interventions, 34

Mental stress provokes ischemia in coronary artery disease subjects without exercise- or adenosine-induced ischemia, 987

Randomized trial to evaluate the relative protection against post-PCI microvascular dysfunction, ischemia and inflammation among anti-platelet and anti-thrombotic agents: the PROTECT-TIMI-30 trial, 2364

Ischemic cardiomyopathy

Prognostic utility of microvolt T-wave alternans in risk stratification of patients with ischemic cardiomyopathy, 1820

Ischemic heart disease

Comparison of B-type natriuretic peptides for assessment of cardiac function and prognosis in stable ischemic heart disease, 52

Insights from the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE) study, 4S

Ischemic heart disease in women, 1S

Some thoughts on the vasculopathy of women with ischemic heart disease, 30S

Tibolone improves myocardial perfusion in postmenopausal women with ischemic heart disease, 559

Women, ischemic heart disease, revascularization, and the gender gap, 63S

Women and ischemic heart disease, 66S

Ischemic mitral regurgitation

Autologous myoblast transplantation for chronic ischemic mitral regurgitation, 2086

Ischemic preconditioning

Randomised controlled trial of the effects of remote ischemic preconditioning on children undergoing cardiac surgery; first clinical application in humans, 2277

JACC

Highlights of the year in *JACC* 2005, 184

Kidneys

Assessment of renal flow and flow reserve in humans, 620

Cardiovascular morbidity and mortality in the Atherosclerosis and Folic Acid Supplementation Trial (ASFAST) in chronic renal failure, 1108

Non-hypotensive low dose nesiritide has differential renal effects compared to standard dose nesiritide in patients with acute decompensated heart failure and renal dysfunction (correspondence), 2334

Relationship between renal function and plasma brain natriuretic peptide in patients with heart failure, 582

Renal function, congestive heart failure, and amino-terminal pro-brain natriuretic peptide measurement, 91

Renal impairment and outcomes in heart failure: systematic review and meta-analysis, 1987

Role of diminished renal function in cardiovascular mortality, 1

Left atrial ablation

Left atrial ablation versus biatrial ablation for persistent and permanent atrial fibrillation, 2504

Left atrial appendage

Does percutaneous closure of the left atrial appendage prevent stroke in atrial fibrillation? (letter), 1500

Left atrial diameter

Physiological upper limits of left atrial diameter in highly trained professional athletes (letter), 2341

Left atrial remodeling

Left atrial remodeling in competitive athletes (letter), 2340

Left atrial remodeling in competitive athletes, 2340

Left atrial volume index

Predictive value of normal left atrial volume in stress echocardiography, 1024

Left atrium

Left atrial size: physiologic determinants and clinical applications, 2357

Prediction of cardiovascular outcomes with left atrial size, 1018

Left main coronary artery

Remodeling index compared to actual vascular remodeling in atherosclerotic left main coronary arteries as assessed with long-term (≥ 12 months) serial intravascular ultrasound, 1363

Left main coronary artery disease

Comparison of coronary artery bypass surgery with percutaneous coronary intervention with drug-eluting stents for unprotected left main coronary artery disease, 864

Distal left main coronary disease is a major predictor of outcome in patients undergoing percutaneous intervention in the drug-eluting stent era, 1530

Drug-eluting stenting for unprotected left main coronary artery disease (editorial), 878

Persistence of neointimal growth 12 months after intervention and occurrence of delayed restenosis in patients with left main coronary artery disease treated with drug-eluting stents (correspondence), 1491

Sirolimus-eluting versus paclitaxel-eluting stent implantation for the percutaneous treatment of left main coronary artery disease, 507

Left main coronary artery stenosis

Serial angiographic follow-up of sirolimus-eluting

- stents for unprotected left main coronary artery revascularization, 871
- Left ventricle**
- Analysis of regional left ventricular function by cineventriculography, cardiac magnetic resonance imaging, and unenhanced and contrast-enhanced echocardiography, 121
 - Apex-to-base dispersion in regional timing of left ventricular shortening and lengthening, 163
 - Effects of normal aging on left ventricular lusitropic, inotropic, and chronotropic responses to dobutamine, 1440
 - Hypertension and smoking are associated with reduced regional left ventricular function in asymptomatic individuals, 1150
 - Impact of obesity on cardiac geometry and function in a population of adolescents: the Strong Heart study, 2267
 - Influence of percutaneous closure of patent ductus arteriosus on left ventricular size and function, 1060
 - Patients with hibernating myocardium show altered left ventricular volumes and shape, which revert after revascularization, 969
 - Regional left ventricular electric and mechanical activation and relaxation (editorial), 173
- Left ventricular diastolic pressure**
- Diastolic stress echocardiography: hemodynamic validation and clinical significance of estimation of ventricular filling pressure with exercise, 1891
- Left ventricular dysfunction**
- Amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide in the general community, 345
 - Biventricular versus conventional right ventricular stimulation for patients with standard pacing indication and left ventricular dysfunction—the HOBIPACE study, 1927
 - Macrophage colony-stimulating factor treatment after myocardial infarction attenuates left ventricular dysfunction by accelerating infarct repair, 626
 - Population-based analysis of sudden cardiac death with and without left ventricular systolic dysfunction, 1161
 - Relationship between stature and the prevalence of atrial fibrillation in patients with left ventricular dysfunction, 1683
- Left ventricular dyssynchrony**
- Assessment of left ventricular dyssynchrony in patients with conduction delay and idiopathic dilated cardiomyopathy: head-to-head comparison between tissue Doppler imaging and velocity-encoded MRI, 2042
- Left ventricular ejection fraction**
- Atorvastatin improves left ventricular systolic function and serum markers of inflammation in nonischemic heart failure, 332
 - Limitations of left ventricular ejection fraction as the major determinant for primary prevention implantable cardioverter-defibrillators (editorial), 1167
 - Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction, 456
 - Population-based analysis of sudden cardiac death with and without left ventricular systolic dysfunction, 1161
- Left ventricular function**
- Cardiac expression of placental growth factor predicts the improvement of chronic phase left ventricular function in patients with acute myocardial infarction, 1559
 - Prediction of left ventricular function after drug-eluting stent implantation for chronic total coronary occlusions, 721
- Left ventricular hypertrabeculation**
- Left ventricular noncompaction, cardiac magnetic resonance imaging, and neuromuscular disorders (letter), 1233
- Left ventricular hypertrophy**
- Fabry's disease cardiomyopathy, 1663
- Left ventricular remodeling**
- Serum tenascin-C might be a novel predictor left ventricular remodeling and prognosis after acute myocardial infarction, 2319
- Left ventricular systolic dysfunction**
- Atrial fibrillation and risk of clinical events in chronic heart failure with and without left ventricular systolic dysfunction: results from the Candesartan in Heart Failure—Assessment of Reduction in Mortality and Morbidity (CHARM) program, 1997
 - Early versus delayed enalapril in patients with left ventricular systolic dysfunction: impact on morbidity and mortality 15 years after the SOLVD trial (correspondence), 1904
 - Left ventricular systolic dysfunction in rheumatoid disease, 1169
- Left ventricular systolic function**
- Angiotensin-converting enzyme inhibitors in coronary artery disease and preserved left ventricular systolic function, 1576
 - Evaluation of left ventricular systolic function in pediatric sickle cell anemia patients using the end systolic wall stress-VCFc relationship, 2283
- Left ventricular wall**
- Effects of primary angioplasty for acute myocardial infarction on early and late infarct size and left ventricular wall characteristics, 40
- Leptin**
- Relationship between increasing body weight, insulin resistance, inflammation, adipocytokine leptin, and coronary circulation function, 1188
- Letters to the editor**
- Anti-inflammatory action of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers, 889
 - Bifurcation coronary lesions and the “crush” technique (letter), 2566
 - Big chill: adverse effects of public reporting on access to health care, 1737
 - Cardiac rehabilitation, exercise training, and psychosocial risk factors, 212
 - Cardiovascular manifestations of carbon monoxide poisoning, 690
 - Comparison of bioprostheses in patients with small aortic annulus, 1088
 - Complementary medicine has no place in cardiovascular medicine, 1498
 - Coronary arteries after arterial switch surgery, 1734
 - Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events: The St. Francis Heart Study, 2339
 - Does percutaneous closure of the left atrial appendage prevent stroke in atrial fibrillation?, 1500
 - Drug-eluting stent thrombosis: a pooled analysis, 214
 - Effects of N-3 fatty acids on postoperative atrial fibrillation following coronary artery bypass grafting, 467
 - Endothelial dysfunction after drug-eluting stent was never predicted in clinical studies, 1911
 - Hemodynamic phenomenon or geometric discrepancy?, 213
 - Intravascular ultrasound analysis of polymer-based paclitaxel-eluting stents, 470
 - Left atrial remodeling in competitive athletes, 2340
 - Left ventricular noncompaction, cardiac magnetic resonance imaging, and neuromuscular disorders, 1233
 - Life-threatening coronary artery spasm following sirolimus-eluting stent deployment, 1911
 - Limitations of Crush technique, 1915
 - Link between arterial inflammation and circadian rhythm: the oversight aspect in the year 2004, 688
 - Long-term bosentan treatment in children with pulmonary arterial hypertension, 1914
 - Microvolt T-wave alternans: where do we go from here?, 1736
 - Morphed specialist—an androsphinx?, 1088
 - Pathophysiology of stent thrombosis: platelet activation, mechanical factors, or both, 1086
 - Physiological upper limits of left atrial diameter in highly trained professional athletes, 2341
 - Left atrial remodeling in competitive athletes, 2340
 - Preventing type 2 diabetes mellitus with angiotensin blockade: is it clinically relevant?, 1913
 - Prevention of atrial fibrillation by angiotensin-converting enzyme inhibitors and angiotensin II receptor blockers, 889
 - Prognosis of masked hypertension and white-coat hypertension detected by 24-h ambulatory blood pressure monitoring, 2127
 - Quantification of coronary lesions by 64-slice computed tomography compared with quantitative coronary angiography and intravascular ultrasound, 891
 - Restenosis, statistics, and reasonable inferences, 470
 - Role of adenosine in acute myocardial infarction, 1235
 - Secondary stroke prevention and antiplatelet therapy (letter), 2568
 - Serum erythropoietin levels and infarct size, 468
 - Serum plant sterols and atherosclerosis: is there a place for statin-ezetimibe combination?, 1496
 - Viruses and other environmental factors as possible sources of phenotypic heterogeneity in familial dilated cardiomyopathy, 689
- Levosimendan**
- Levosimendan improves cardiopulmonary resuscitation and survival by K_{ATP} channel activation (correspondence), 1083
- Light transmission aggregometry**
- Impact of adenosine diphosphate and calcium chelation on platelet aggregation testing in patients receiving clopidogrel therapy (correspondence), 464
- Lipoproteins**
- Neutral effect on markers of heart failure, inflammation, endothelial activation and function, and vagal tone after high-dose HMG-CoA reductase inhibition in non-diabetic patients with non-ischemic cardiomyopathy and average low-density lipoprotein level, 338
- Lixivaptan**
- Aquaretic effect of lixivaptan, an oral, non-peptide, selective V2 receptor vasopressin antagonist, in New York Heart Association functional class II and III chronic heart failure patients, 1615
- Long QT syndrome**
- AHA/ACCF scientific statement on the evaluation of syncope, 473

- Effect of clinical phenotype on yield of long QT syndrome genetic testing, 764
- Genomics and cardiac arrhythmias, 9
- Ratio of late to early T-wave peak amplitude in 24-h electrocardiographic recordings as indicator of symptom history in patients with long-QT syndrome types 1 and 2, 112
- Low-density lipoprotein**
- C-reactive protein and other emerging blood biomarkers to optimize risk stratification of vulnerable patients, C19
- Neutral effect on markers of heart failure, inflammation, endothelial activation and function, and vagal tone after high-dose HMG-CoA reductase inhibition in non-diabetic patients with non-ischemic cardiomyopathy and average low-density lipoprotein level, 338
- Oxidized LDL autoantibodies, chronic infections and carotid atherosclerosis in a population-based study, 2436
- Oxidized low-density lipoprotein in children with familial hypercholesterolemia and unaffected siblings, 1803
- Low-density lipoprotein receptor-related protein 5**
- Human degenerative valve disease is associated with up-regulation of low-density lipoprotein receptor-related protein 5 receptor-mediated bone formation, 1707
- Macrophage colony-stimulating factor**
- Macrophage colony-stimulating factor treatment after myocardial infarction attenuates left ventricular dysfunction by accelerating infarct repair, 626
- Macrophages**
- Pregnancy associated plasma protein-A is markedly expressed by monocyte-macrophage cells in vulnerable and ruptured carotid atherosclerotic plaques: a link between inflammation and cerebrovascular events, 2201
- MADIT-II study**
- Time dependence of defibrillator benefit after coronary revascularization in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 1811
- Magnetic resonance imaging**
- Analysis of regional left ventricular function by cineventriculography, cardiac magnetic resonance imaging, and unenhanced and contrast-enhanced echocardiography, 121
- Assessment of left ventricular dyssynchrony in patients with conduction delay and idiopathic dilated cardiomyopathy: head-to-head comparison between tissue Doppler imaging and velocity-encoded MRI, 2042
- Characterization of radiofrequency ablation lesions with gadolinium-enhanced cardiovascular magnetic resonance imaging, 370
- Do you see what I see? (editorial), 129
- Effects of time, dose, and inversion time for acute myocardial infarct size measurements based on magnetic resonance imaging delayed contrast enhancement, 2027
- Left ventricular noncompaction, cardiac magnetic resonance imaging, and neuromuscular disorders (letter), 1233
- Paradoxical increase in ventricular torsion and systolic torsion rate in type I diabetic patients under tight glycemic control, 384
- Positively magnetic north (editorial), 1646
- Prognosis of negative adenosine stress magnetic resonance in patients presenting to an emergency department with chest pain, 1427
- Reproducibility of chronic and acute infarct size measurement by delayed enhancement-magnetic resonance imaging, 1641
- Role of magnetic resonance and intravascular magnetic resonance in the detection of vulnerable plaques, C48
- Task force 12: training in advanced cardiovascular imaging (cardiovascular magnetic resonance [CMR]), 910
- When two tests are better than one (editorial), 1639
- Masked hypertension**
- Prognosis of masked hypertension and white-coat hypertension detected by 24-h ambulatory blood pressure monitoring (letter), 2127
- Matrix metalloproteinase-1**
- C-reactive protein induces matrix metalloproteinase-1 and -10 in human endothelial cells, 1369
- Matrix metalloproteinase-10**
- C-reactive protein induces matrix metalloproteinase-1 and -10 in human endothelial cells, 1369
- Mechanical alternans**
- Prognostic value of pacing-induced mechanical alternans in patients with mild-to-moderate idiopathic dilated cardiomyopathy in sinus rhythm, 1382
- Medical devices**
- Outline for public registration of clinical trials evaluating medical devices, 1518
- Medicare**
- Frequency and incremental cost of major complications among Medicare beneficiaries receiving implantable cardioverter defibrillators, 2493
- Men**
- Racial differences in prevalence of coronary obstructions among men with positive nuclear imaging studies, 2034
- Serum adiponectin levels are an independent predictor of the extent of coronary artery disease in men, 2124
- Menopause**
- Heart disease risk determines menopausal age rather than the reverse, 1976
- Hypertension, menopause, and coronary artery disease risk in the Women's Ischemia Syndrome Evaluation (WISE) study, 50S
- Menopause and cardiovascular risk: cause or consequence?, 1984
- Mental stress**
- Mental stress provokes ischemia in coronary artery disease subjects without exercise- or adenosine-induced ischemia, 987
- Metabolic equivalents**
- Value of estimated functional capacity in estimating outcome, 36S
- Metabolic syndrome**
- Functional and structural markers of atherosclerosis in human immunodeficiency virus-infected patients, 1117
- Metabolic syndrome: connecting and reconciling cardiovascular and diabetes worlds, 1093
- Metabolic syndrome and age-related progression of aortic stiffness, 72
- Metabolic syndrome and the risk of cardiovascular disease in older adults, 1595
- Metabolic syndrome negatively influences disease progression and prognosis in aortic stenosis, 2229
- Prevalence of the metabolic syndrome and its relation to cardiovascular disease in an elderly Chinese population, 1588
- Metoprolol**
- Comparison of the effects of carvedilol and metoprolol on well-being, morbidity, and mortality (the "patient journey") in patients with heart failure, 1603
- Effects of combined versus selective adrenergic blockade on left ventricular and systemic hemodynamics, myocardial substrate preference, and regional perfusion in conscious dogs with dilated cardiomyopathy, 1871
- Microbubble contrast agents**
- Potential bioeffects of ultrasonic destruction of microbubble contrast agents (editorial), 1469
- Microvascular coronary disease**
- Insights from the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE) study, 21S
- Microvascular flow**
- Relevance of coronary microvascular flow impairment to long-term remodeling and systolic dysfunction in hypertrophic cardiomyopathy, 1043
- Microvolt T-wave alternans**
- Microvolt T-wave alternans: where do we go from here? (letter), 1736
- Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction, 456
- Prognostic utility of microvolt T-wave alternans in risk stratification of patients with ischemic cardiomyopathy, 1820
- Migraine headache**
- Adverse events associated with nickel allergy in patients undergoing percutaneous atrial septal defect or patent foramen ovale closure (correspondence), 1226
- Mitral annuloplasty**
- Year in valvular heart disease, 427
- Mitral regurgitation**
- Autologous myoblast transplantation for chronic ischemic mitral regurgitation, 2086
- Year in echocardiography, 856
- Year in valvular heart disease, 427
- Mitral stenosis**
- Year in valvular heart disease, 427
- Mode Selection Trial**
- Treatment crossovers did not affect randomized treatment comparisons in the Mode Selection Trial (MOST), 2260
- Molecular imaging**
- Molecular and cellular imaging of atherosclerosis, 1328
- Monocytes**
- Pregnancy associated plasma protein-A is markedly expressed by monocyte-macrophage cells in vulnerable and ruptured carotid atherosclerotic plaques: a link between inflammation and cerebrovascular events, 2201
- Morbidity**
- Comparison of the effects of carvedilol and metoprolol on well-being, morbidity, and mortality (the "patient journey") in patients with heart failure, 1603
- Early versus delayed enalapril in patients with left ventricular systolic dysfunction: impact on morbidity and mortality 15 years after the SOLVD trial (correspondence), 1904
- Reduction of morbidity and mortality by statins, angiotensin-converting enzyme inhibitors, and angiotensin receptor blockers in patients with chronic obstructive pulmonary disease, 2554
- Mortality**
- B-type natriuretic peptide and the risk of

- cardiovascular events and death in patients with stable angina, 552
- Cardiovascular morbidity and mortality in the Atherosclerosis and Folic Acid Supplementation Trial (ASFAST) in chronic renal failure, 1108
- Comparison of the effects of carvedilol and metoprolol on well-being, morbidity, and mortality (the “patient journey”) in patients with heart failure, 1603
- Door-to-balloon time with primary percutaneous coronary intervention for acute myocardial infarction impacts late cardiac mortality in high-risk patients and patients presenting early after the onset of symptoms, 289
- Early inflammation and risk of long-term development of heart failure and mortality in survivors of acute myocardial infarction, 962
- Early versus delayed enalapril in patients with left ventricular systolic dysfunction: impact on morbidity and mortality 15 years after the SOLVD trial (correspondence), 1904
- Effect of door-to-balloon time on mortality in patients with ST-segment elevation myocardial infarction, 2180
- Health status identifies heart failure outpatients at risk for hospitalization or death, 752
- Impact of body mass index on cardiac mortality in patients with known or suspected coronary artery disease undergoing myocardial perfusion single-photon emission computed tomography, 1418
- Impact of hospital volume on racial disparities in cardiovascular procedure mortality, 417
- Independent factors associated with mortality, reintervention, and achievement of complete repair in children with pulmonary atresia with ventricular septal defect, 1448
- Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction, 456
- Reduction of morbidity and mortality by statins, angiotensin-converting enzyme inhibitors, and angiotensin receptor blockers in patients with chronic obstructive pulmonary disease, 2554
- Relationship between patient’s risk profile and benefits in mortality from adjunctive abciximab to mechanical revascularization for ST-segment elevation myocardial infarction: a meta-regression analysis of randomized trials (correspondence), 685
- Relationship of pulmonary arterial capacitance and mortality in idiopathic pulmonary arterial hypertension, 799
- Risk score to predict in-hospital mortality for percutaneous coronary interventions, 654
- Role of diminished renal function in cardiovascular mortality, 1
- Mouse models**
- High fat/high carbohydrate diet induces aortic valve disease in C57BL/6J mice, 851
- Multi-detector computed tomography**
- Atherosclerotic plaque characterization by multidetector row computed tomography angiography, C40
- Coronary MDCT—a new standard for preoperative risk assessment?, 205
- Noncalcified and calcified coronary plaque detection by contrast-enhanced multi-detector computed tomography: a study of interobserver agreement (correspondence), 207
- Noninvasive assessment of plaque morphology and composition in culprit and stable lesions in acute coronary syndrome and stable lesions in stable angina by multidetector computed tomography, 1655
- Promise of quantitative computed tomography coronary angiography and noninvasive segmental coronary plaque quantification (editorial), 678
- Quantification of coronary lesions by 64-slice computed tomography compared with quantitative coronary angiography and intravascular ultrasound (letter), 891
- Multi-slice computed tomography**
- Accuracy of multislice computed tomography in the preoperative assessment of coronary disease in patients with aortic valve stenosis, 2020
- Comparison of radiation doses from multislice computed tomography coronary angiography and conventional diagnostic angiography, 1840
- Multislice computed tomography for detection of patients with aortic valve stenosis and quantification of severity, 1410
- Noninvasive detection of subclinical coronary atherosclerosis coupled with assessment of changes in plaque characteristics using novel invasive imaging modalities, 1134
- Radiation exposure of computed tomography and direct intracoronary angiography, 1846
- Myeloperoxidase**
- Myeloperoxidase predicts progression of carotid stenosis in states of low HDL-cholesterol, 2212
- Myoblasts**
- Autologous myoblast transplantation for chronic ischemic mitral regurgitation, 2086
- Myocardial blood flow**
- Caffeine decreases exercise-induced myocardial flow reserve, 405
- Coronary risk factors and myocardial perfusion in asymptomatic adults, 565
- Myocardial contrast echocardiography**
- Microvascular permeabilization and cardiomyocyte injury provoked by myocardial contrast echocardiography in a canine model, 1464
- Myocardial contrast echocardiography for the detection of coronary artery stenosis, 141
- Myocardial dysfunction**
- Grading of myocardial dysfunction by tissue Doppler echocardiography, 1672
- Myocardial fatty acid metabolism**
- Increased myocardial fatty acid metabolism in patients with type 1 diabetes mellitus, 598
- Myocardial fatty acid oxidation**
- Increased myocardial fatty acid metabolism in patients with type 1 diabetes mellitus, 598
- Myocardial fibrosis**
- Biomarker of myocardial fibrosis predicts long-term response to cardiac resynchronization therapy, 2335
- Pathogenesis of myocardial fibrosis in the setting of diabetic cardiomyopathy, 693
- Myocardial function**
- Global and regional myocardial function quantification by two-dimensional strain, 1175
- Multi-Ethnic Study of Atherosclerosis (MESA) and myocardial function (editorial), 1159
- Myocardial infarction**
- ACC/AHA clinical performance measures for adults with ST-elevation and non-ST-elevation myocardial infarction, 236
- AMISTAD trials: possible reasons for lack of success (letter), 1236
- Application of the Thrombolysis In Myocardial Infarction risk index in non-ST-segment elevation myocardial infarction, 1553
- Association between right bundle-branch block and impaired myocardial tissue-level reperfusion in patients with acute myocardial infarction, 2122
- Cardiac expression of placental growth factor predicts the improvement of chronic phase left ventricular function in patients with acute myocardial infarction, 1559
- Clinical results of a platelet glycoprotein IIb/IIIa receptor blocker (abciximab: ReoPro)-coated stent in acute myocardial infarction, 933
- Common polymorphism in the complement factor H gene is associated with increased risk of myocardial infarction, 1568
- Early inflammation and risk of long-term development of heart failure and mortality in survivors of acute myocardial infarction, 962
- Effects of time, dose, and inversion time for acute myocardial infarct size measurements based on magnetic resonance imaging delayed contrast enhancement, 2027
- Effect of valsartan, captopril, or both on atherosclerotic events after acute myocardial infarction, 726
- Effects of primary angioplasty for acute myocardial infarction on early and late infarct size and left ventricular wall characteristics, 40
- Evidence of cocaine-related coronary atherosclerosis in young patients with myocardial infarction, 2120
- Genetic polymorphisms of platelet glycoprotein Ia and the risk for premature myocardial infarction: effects of the release of sCD40L during the acute phase of premature myocardial infarction, 1959
- Glucose-insulin-potassium infusion in patients with acute myocardial infarction without signs of heart failure: The Glucose-Insulin-Potassium Study (GIPS)-II (correspondence), 1730
- Highlights of the year in *JACC* 2005, 184
- Hospital improvement in time to reperfusion in patients with acute myocardial infarction, 1999 to 2002, 45
- Influence of proteinuria on cardiovascular risk and response to angiotensin-converting enzyme inhibition after myocardial infarction (correspondence), 1725
- Intracoronary delivery of hematopoietic bone marrow stem cells and luminal loss of the infarct-treated artery in patients with recent myocardial infarction (correspondence), 1727
- Macrophage colony-stimulating factor treatment after myocardial infarction attenuates left ventricular dysfunction by accelerating infarct repair, 626
- Myocardial ischemia and infarction, D13
- Pre-hospital electrocardiogram and time to reperfusion in patients with acute myocardial infarction, 2000–2002, 1544
- Prognostic implications of creatine kinase elevation after primary percutaneous coronary intervention for acute myocardial infarction, 951
- Relationship between patient’s risk profile and benefits in mortality from adjunctive abciximab to mechanical revascularization for ST-segment elevation myocardial infarction: a meta-regression analysis of randomized trials (correspondence), 685
- Reproducibility of chronic and acute infarct size measurement by delayed enhancement-magnetic resonance imaging, 1641
- Role of adenosine in acute myocardial infarction (letter), 1235

- Serum erythropoietin levels and infarct size (letter), 468
- Serum tenascin-C might be a novel predictor left ventricular remodeling and prognosis after acute myocardial infarction, 2319
- ST-segment elevation myocardial infarction: recommendations on triage of patients to heart attack centers, 1339
- Upstream/downstream (editorial), 538
- Year in interventional cardiology, 1689
- Myocardial ischemia**
- Cardioprotective effects of granulocyte colony-stimulating factor in swine with chronic myocardial ischemia, 842
- Chronic recurrent myocardial ischemic injury is significantly attenuated by pre-emptive adeno-associated virus heme oxygenase-1 gene delivery, 635
- Myocardial ischemia and infarction, D13
- Myocardial perfusion**
- Coronary risk factors and myocardial perfusion in asymptomatic adults, 565
- Effect of caffeine on ischemia detection by adenosine SPECT perfusion imaging, 2296
- Fractional flow reserve of infarct related arteries identifies reversible defects on non-invasive myocardial perfusion imaging early after myocardial infarction, 2187
- Imaging and quantification of myocardial perfusion using real-time three-dimensional echocardiography, 146
- Tibolone improves myocardial perfusion in postmenopausal women with ischemic heart disease, 559
- Myocardial perfusion single-photon emission computed tomography**
- Impact of body mass index on cardiac mortality in patients with known or suspected coronary artery disease undergoing myocardial perfusion single-photon emission computed tomography, 1418
- Myocardial strain**
- Noninvasive myocardial strain measurement by speckle tracking echocardiography, 789
- Myocarditis**
- Delayed gadolinium-enhanced cardiac magnetic resonance in patients with chronic myocarditis presenting with heart failure or recurrent arrhythmias, 1649
- N-acetylcysteine**
- Antifibrotic effects of antioxidant N-acetylcysteine in a mouse model of human hypertrophic cardiomyopathy mutation, 827
- National benchmarking**
- President's page: A question of quality: why national benchmarking?, 1076
- National Heart, Lung, and Blood Institute**
- Report of the National Heart, Lung, and Blood Institute working group on research in adult congenital heart disease, 701
- Natriuretic peptides**
- Aerobic training decreases B-type natriuretic peptide expression and adrenergic activation in patients with heart failure, 1835
- Amino-terminal pro-B-type natriuretic peptide and B-type natriuretic peptide in the general community, 345
- Brain natriuretic peptide levels in constrictive pericarditis and restrictive cardiomyopathy (correspondence), 1489
- B-type natriuretic peptide and the risk of cardiovascular events and death in patients with stable angina, 552
- B-type natriuretic peptide levels in obese patients with advanced heart failure, 85
- B-type natriuretic peptide strongly reflects diastolic wall stress in patients with chronic heart failure, 742
- B-type natriuretic peptides and the stressed heart (editorial), 749
- Coming of age of natriuretic peptides (editorial), 61
- Comparison of B-type natriuretic peptides for assessment of cardiac function and prognosis in stable ischemic heart disease, 52
- Is brain natriuretic peptide production is decreased in obese subjects? (correspondence), 886
- Left ventricular systolic dysfunction in rheumatoid disease, 1169
- Relationship between renal function and plasma brain natriuretic peptide in patients with heart failure, 582
- Renal function, congestive heart failure, and amino-terminal pro-brain natriuretic peptide measurement, 91
- Near-infrared spectroscopy**
- Near-infrared spectroscopy for the detection of vulnerable coronary artery plaques, C92
- Neointima**
- Incomplete neointimal coverage of sirolimus-eluting stents: angioscopic findings, 2108
- Incomplete neointimal coverage of sirolimus-eluting stents (editorial), 2108
- Novel drug-eluting stent coated with an integrin-binding cyclic Arg-Gly-Asp peptide inhibits neointimal hyperplasia by recruiting endothelial progenitor cells, 1786
- Persistence of neointimal growth 12 months after intervention and occurrence of delayed restenosis in patients with left main coronary artery disease treated with drug-eluting stents (correspondence), 1491
- Neonates**
- Validation and re-evaluation of a discriminant model predicting anatomic suitability for biventricular repair in neonates with aortic stenosis, 1858
- Nesiritide**
- Non-hypotensive low dose nesiritide has differential renal effects compared to standard dose nesiritide in patients with acute decompensated heart failure and renal dysfunction (correspondence), 2334
- Neurohormonal activation**
- Aerobic training decreases B-type natriuretic peptide expression and adrenergic activation in patients with heart failure, 1835
- Neuromuscular disorders**
- Left ventricular noncompaction, cardiac magnetic resonance imaging, and neuromuscular disorders (letter), 1233
- Nickel allergy**
- Adverse events associated with nickel allergy in patients undergoing percutaneous atrial septal defect or patent foramen ovale closure (correspondence), 1226
- Nicotinamide adenosine dinucleotide phosphate**
- Involvement of the nicotinamide adenosine dinucleotide phosphate oxidase isoform Nox2 in cardiac contractile dysfunction occurring in response to pressure overload, 817
- Nitric oxide**
- Nitric oxide metabolites and cardiovascular disease (editorial), 580
- Plasma nitroso compounds are decreased in patients with endothelial dysfunction, 573
- Non-ischemic cardiomyopathy**
- AHA/ACCF scientific statement on the evaluation of syncope, 473
- Neutral effect on markers of heart failure, inflammation, endothelial activation and function, and vagal tone after high-dose HMG-CoA reductase inhibition in non-diabetic patients with non-ischemic cardiomyopathy and average low-density lipoprotein level, 338
- Non-ST-segment elevation myocardial infarction**
- Application of the Thrombolysis In Myocardial Infarction risk index in non-ST-segment elevation myocardial infarction, 1553
- Upstream/downstream (editorial), 538
- Nox2**
- Involvement of the nicotinamide adenosine dinucleotide phosphate oxidase isoform Nox2 in cardiac contractile dysfunction occurring in response to pressure overload, 817
- Nuclear cardiology**
- Highlights of the 2005 scientific sessions of the American Society of Nuclear Cardiology, 1478
- Task force 5: training in nuclear cardiology, 898
- Nuclear imaging**
- Racial differences in prevalence of coronary obstructions among men with positive nuclear imaging studies, 2034
- Obesity**
- Association of pulsus paradoxus with obesity in normal volunteers (correspondence), 1907
- Association of subclinical right ventricular dysfunction with obesity, 611
- B-type natriuretic peptide levels in obese patients with advanced heart failure, 85
- Growing problem of obesity and the heart (editorial), 617
- Impact of body mass index on cardiac mortality in patients with known or suspected coronary artery disease undergoing myocardial perfusion single-photon emission computed tomography, 1418
- Impact of obesity on cardiac geometry and function in a population of adolescents: the Strong Heart study, 2267
- Is brain natriuretic peptide production is decreased in obese subjects? (correspondence), 886
- Obesity and the heart—a weighty issue (editorial), 2274
- Relationship between increasing body weight, insulin resistance, inflammation, adipocytokine leptin, and coronary circulation function, 1188
- Rimonabant: a cannabinoid C(B1) receptor blocker for management of multiple cardiometabolic risk factors, 1919
- Obstructive sleep apnea**
- Obstructive sleep apnea syndrome, 1433
- Physiologic pacing in patients with obstructive sleep apnea, 379
- Occlusion**
- Prediction of left ventricular function after drug-eluting stent implantation for chronic total coronary occlusions, 721
- Sildenafil improves coronary artery patency in a canine model of platelet-mediated cyclic coronary occlusion after thrombolysis, 1471
- Surgical versus percutaneous occlusion of ostium secundum atrial septal defects, 326
- Older adults**
- See also Elderly
- AHA/ACCF scientific statement on the evaluation of syncope, 473

- Metabolic syndrome and the risk of cardiovascular disease in older adults, 1595
- Prolonged QTc interval and risk of sudden cardiac death in a population of older adults, 362
- Optical coherence tomography**
Plaque characterization with optical coherence tomography, C69
- Osteoprotegerin**
Relationship between plasma osteoprotegerin levels and coronary artery calcification in uncomplicated type 2 diabetic subjects, 1850
- Ostium secundum atrial septal defects**
Surgical versus percutaneous occlusion of ostium secundum atrial septal defects, 326
- Outcomes**
Aortic valve regurgitation after arterial switch operation for transposition of the great arteries: risk factors and outcome, 2057
- Beta-blocker use and outcomes among hospitalized heart failure patients, 2462
- Clinical presentation, management, and in-hospital outcome of patients admitted with acute decompensated heart failure with preserved systolic function, 76
- Distal left main coronary disease is a major predictor of outcome in patients undergoing percutaneous intervention in the drug-eluting stent era, 1530
- Drug eluting stent restenosis: the pattern predicts the outcome, 2399
- Drug-eluting stents and late adverse clinical outcomes: lessons learned, lessons awaited, 2112
- Elevated placental growth factor levels are associated with adverse outcomes at four-year follow-up in patients with acute coronary syndromes, 307
- Long-term outcome of surgically treated aortic regurgitation, 1012
- Long-term outcomes following stenting of bifurcation lesions utilizing the “crush” technique: predictors of an adverse outcome, 1949
- New insights into improving acute and long term outcomes of carotid stenting (editorial), 2397
- Prediction of cardiovascular outcomes with left atrial size, 1018
- Predictors of adverse outcome among patients with hypertension and coronary artery disease, 547
- Renal impairment and outcomes in heart failure: systematic review and meta-analysis, 1987
- Two-year outcomes after sirolimus-eluting stent implantation, 1350
- Oxidative stress**
Relationship between plasma levels of oxidized and reduced thiols and early atherosclerosis in healthy adults, 1005
- Serofendic acid, a novel substance extracted from fetal calf serum, protects against oxidative stress in neonatal rat cardiac myocytes, 1882
- Oxidized low-density lipoproteins**
Oxidized LDL autoantibodies, chronic infections and carotid atherosclerosis in a population-based study, 2436
- Oxidized phospholipids**
Oxidized low-density lipoprotein in children with familial hypercholesterolemia and unaffected siblings, 1803
- Oxidized phospholipids predict the presence and progression of carotid and femoral atherosclerosis and symptomatic cardiovascular disease: five-year prospective results from the Bruneck study, 2219
- Oxygen consumption**
Effects of gender on peak oxygen consumption and the timing of cardiac transplantation, 2237
- Payments for debts associated with exercise can become higher as we age and limit exercise capacity (editorial), 1058
- Pacing**
Alternative site pacing to promote cardiac synchrony: has conventional pacing become unconventional?, 1946
- Biventricular versus conventional right ventricular stimulation for patients with standard pacing indication and left ventricular dysfunction—the HOBIPACE study, 1927
- Improved atrial mechanical efficiency during alternate- and multiple-site atrial pacing compared with conventional right atrial appendage pacing: implications for selective site pacing to prevent atrial fibrillation (correspondence), 209
- Modified temporary cardiac pacing using transvenous active fixation leads and external re-sterilized pulse generators (correspondence), 1487
- New paradigm for physiologic ventricular pacing, 282
- Physiologic pacing in patients with obstructive sleep apnea, 379
- Prevention of ventricular desynchronization by permanent parahisian pacing after atrioventricular node ablation in chronic atrial fibrillation: a cross-over, blinded, randomized study versus apical right ventricular pacing, 1938
- Prognostic value of pacing-induced mechanical alternans in patients with mild-to-moderate idiopathic dilated cardiomyopathy in sinus rhythm, 1382
- Task force 6: training in specialized electrophysiology, cardiac pacing, and arrhythmia management, 904
- Paclitaxel-eluting stents**
See also Stents
- Intravascular ultrasound analysis of polymer-based paclitaxel-eluting stents (letter), 470
- Sirolimus and paclitaxel on polymer-based drug-eluting stents, 708
- Sirolimus-eluting versus paclitaxel-eluting stent implantation for the percutaneous treatment of left main coronary artery disease, 507
- Paired ventricular stimulation**
Paired ventricular stimulation: an approach for hemodynamic stabilization during ventricular tachycardia (correspondence), 2337
- Parahisian pacing**
Prevention of ventricular desynchronization by permanent parahisian pacing after atrioventricular node ablation in chronic atrial fibrillation: a cross-over, blinded, randomized study versus apical right ventricular pacing, 1938
- Paroxysmal supraventricular tachycardia**
Genomics and cardiac arrhythmias, 9
- Patent ductus arteriosus**
Influence of percutaneous closure of patent ductus arteriosus on left ventricular size and function, 1060
- Patent foramen ovale**
Adverse events associated with nickel allergy in patients undergoing percutaneous atrial septal defect or patent foramen ovale closure (correspondence), 1226
- Patent foramen ovale, guilty but only as a gang member and for a lesser crime (editorial), 446
- Patent foramen ovale: innocent or guilty?, 440
- Pediatrics**
See also Children
- Evaluation of left ventricular systolic function in pediatric sickle cell anemia patients using the end systolic wall stress-VCFc relationship, 2283
- Pediatric cardiology and adult congenital heart disease, D33
- Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs (letter), 2128
- Percutaneous coronary interventions**
ACC/AHA/SCAI 2005 guideline update for percutaneous coronary intervention—summary article, 216
- Are drug-eluting stents the preferred treatment for multivessel coronary artery disease?, 22
- Comparison of coronary artery bypass surgery with percutaneous coronary intervention with drug-eluting stents for unprotected left main coronary artery disease, 864
- Correlates of bleeding events among moderate to high-risk patients undergoing percutaneous coronary intervention and treated with eptifibatid: observations from PROTECT-TIMI-30 trial, 2374
- Distal left main coronary disease is a major predictor of outcome in patients undergoing percutaneous intervention in the drug-eluting stent era, 1530
- Door-to-balloon time with primary percutaneous coronary intervention for acute myocardial infarction impacts late cardiac mortality in high-risk patients and patients presenting early after the onset of symptoms, 289
- Drug-eluting stenting for unprotected left main coronary artery disease (editorial), 878
- Effect of door-to-balloon time on mortality in patients with ST-segment elevation myocardial infarction, 2180
- Initial experience with a magnetic navigation system for percutaneous coronary intervention in complex coronary artery lesions, 515
- Optimal timing for the initiation of pre-treatment with 300 mg clopidogrel before percutaneous coronary intervention, 939
- Prognostic implications of creatine kinase elevation after primary percutaneous coronary intervention for acute myocardial infarction, 951
- Randomized comparison of upstream tirofiban versus downstream high bolus dose tirofiban or abciximab on tissue-level perfusion and troponin release in high-risk acute coronary syndromes treated with percutaneous coronary interventions, 522
- Randomized trial to evaluate the relative protection against post-PCI microvascular dysfunction, ischemia and inflammation among anti-platelet and anti-thrombotic agents: the PROTECT-TIMI-30 trial, 2364
- Remote-control percutaneous coronary interventions, 296
- Risk score to predict in-hospital mortality for percutaneous coronary interventions, 654
- Role of risk stratification in the decision to provide upstream versus selective glycoprotein IIb/IIIa inhibitors for acute coronary syndromes, 529
- ST-segment elevation myocardial infarction: recommendations on triage of patients to heart attack centers, 1339
- Total of 1,007 percutaneous coronary interventions without onsite cardiac surgery, 1713

- Value of selectivity (editorial), 719
Year in interventional cardiology, 1689
- Percutaneous heart valve**
Treatment of calcific aortic stenosis with the percutaneous heart valve, 1214
- Percutaneous mitral annuloplasty**
Year in valvular heart disease, 427
- Perimembranous ventricular septal defects**
Transcatheter closure of perimembranous ventricular septal defects using the new Amplatzer Membranous VSD Occluder, 319
- Peripheral arterial disease**
ACC/AHA 2005 guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): executive summary, 1239
Cardioprotective medication is associated with improved survival in patients with peripheral arterial disease, 1182
Delayed calf muscle phosphocreatine recovery after exercise identifies peripheral arterial disease, 2289
Peripheral arterial disease in patients with diabetes, 921
64-slice peripheral computed tomography angiography: a clinical accuracy evaluation (correspondence), 1495
Statin use and functional decline in patients with and without peripheral arterial disease, 998
- Phenotype**
Effect of clinical phenotype on yield of long QT syndrome genetic testing, 764
- Phosphocreatine**
Delayed calf muscle phosphocreatine recovery after exercise identifies peripheral arterial disease, 2289
- Phosphodiesterase 5 inhibitor**
Sildenafil improves coronary artery patency in a canine model of platelet-mediated cyclic coronary occlusion after thrombolysis, 1471
- Phrenic nerve injury**
Phrenic nerve injury after atrial fibrillation catheter ablation, 2498
- Placental growth factor**
Cardiac expression of placental growth factor predicts the improvement of chronic phase left ventricular function in patients with acute myocardial infarction, 1559
Elevated placental growth factor levels are associated with adverse outcomes at four-year follow-up in patients with acute coronary syndromes, 307
- Plant sterols**
Serum plant sterols and atherosclerosis: is there a place for statin-ezetimibe combination? (letter), 1496
- Plasma nitroso compounds**
Plasma nitroso compounds are decreased in patients with endothelial dysfunction, 573
- Platelets**
Dependence of platelet thrombus stability on sustained glycoprotein IIb/IIIa activation through adenosine 5'-diphosphate receptor stimulation and cyclic calcium signaling, 155
Effect of platelet antigen polymorphism on platelet inhibition by aspirin, clopidogrel, or their combination, 541
Impact of adenosine diphosphate and calcium chelation on platelet aggregation testing in patients receiving clopidogrel therapy (correspondence), 464
Pathophysiology of stent thrombosis: platelet activation, mechanical factors, or both (letter), 1086
Year in valvular heart disease, 427
- Polymer-based paclitaxel-eluting stents**
Intravascular ultrasound analysis of polymer-based paclitaxel-eluting stents (letter), 470
- Polyunsaturated fatty acids**
Effects of N-3 fatty acids on postoperative atrial fibrillation following coronary artery bypass grafting (letter), 467
- Porcine models**
Cardioprotective effects of granulocyte colony-stimulating factor in swine with chronic myocardial ischemia, 842
- Positron emission tomography**
Highlights of the year in *JACC* 2005, 184
Treadmill exercise produces larger perfusion defects than dipyridamole stress N-13 ammonia positron emission tomography, 411
- Postmenopausal women**
Tibolone improves myocardial perfusion in postmenopausal women with ischemic heart disease, 559
- Potassium**
Glucose-insulin-potassium infusion in patients with acute myocardial infarction without signs of heart failure: The Glucose-Insulin-Potassium Study (GIPS)-II (correspondence), 1730
- Potassium channels**
Levosimendan improves cardiopulmonary resuscitation and survival by K_{ATP} channel activation (correspondence), 1083
- Pravastatin**
Oxidized low-density lipoprotein in children with familial hypercholesterolemia and unaffected siblings, 1803
- Preconditioning**
Randomised controlled trial of the effects of remote ischemic preconditioning on children undergoing cardiac surgery; first clinical application in humans, 2277
- Pregnancy associated plasma protein-A**
Pregnancy associated plasma protein-A is markedly expressed by monocyte-macrophage cells in vulnerable and ruptured carotid atherosclerotic plaques: a link between inflammation and cerebrovascular events, 2201
- Propeptide of procollagen type I**
Biomarker of myocardial fibrosis predicts long-term response to cardiac resynchronization therapy, 2335
- Prosthetic heart valves**
Year in valvular heart disease, 427
- PROTECT-TIMI-30 trial**
Correlates of bleeding events among moderate to high-risk patients undergoing percutaneous coronary intervention and treated with eptifibatid: observations from PROTECT-TIMI-30 trial, 2374
Future of an illusion (editorial), 2380
Randomized trial to evaluate the relative protection against post-PCI microvascular dysfunction, ischemia and inflammation among anti-platelet and anti-thrombotic agents: the PROTECT-TIMI-30 trial, 2364
- Proteinuria**
Influence of proteinuria on cardiovascular risk and response to angiotensin-converting enzyme inhibition after myocardial infarction (correspondence), 1725
- Public reporting**
Big chill: adverse effects of public reporting on access to health care (letter), 1737
- Pulmonary arterial hypertension**
See also Hypertension
Impaired stroke volume response to exercise in pulmonary arterial hypertension (correspondence), 1732
Long-term bosentan treatment in children with pulmonary arterial hypertension (letter), 1914
Relationship of pulmonary arterial capacitance and mortality in idiopathic pulmonary arterial hypertension, 799
Treatment of pulmonary arterial hypertension with the selective endothelin-A receptor antagonist sitaxsentan, 2049
- Pulmonary atresia with ventricular septal defect**
Independent factors associated with mortality, reintervention, and achievement of complete repair in children with pulmonary atresia with ventricular septal defect, 1448
- Pulmonary veins**
Frequency analysis in different types of paroxysmal atrial fibrillation, 1401
Shortening of fibrillatory cycle length in the pulmonary vein during vagal excitation, 774
Sodium-calcium exchange initiated by the Ca^{2+} transient, 1196
- Pulse generators**
Modified temporary cardiac pacing using transvenous active fixation leads and external re-sterilized pulse generators (correspondence), 1487
- Pulsus paradoxus**
Association of pulsus paradoxus with obesity in normal volunteers (correspondence), 1907
- QTc prolongation**
Prolonged QTc interval and risk of sudden cardiac death in a population of older adults, 362
QTc prolongation and sudden cardiac death (editorial), 368
- Quantitative computed tomography coronary angiography**
Promise of quantitative computed tomography coronary angiography and noninvasive segmental coronary plaque quantification (editorial), 678
- Race**
Impact of hospital volume on racial disparities in cardiovascular procedure mortality, 417
Prevalence of the metabolic syndrome and its relation to cardiovascular disease in an elderly Chinese population, 1588
Racial differences in prevalence of coronary obstructions among men with positive nuclear imaging studies, 2034
Transthyretin V122I in African Americans with congestive heart failure (correspondence), 1724
- Radiation**
Comparison of radiation doses from multislice computed tomography coronary angiography and conventional diagnostic angiography, 1840
Radiation exposure of computed tomography and direct intracoronary angiography, 1846
- Radiofrequency ablation**
See also Ablation
Characterization of radiofrequency ablation lesions with gadolinium-enhanced cardiovascular magnetic resonance imaging, 370
- Radionuclide imaging**
Radionuclide imaging for the detection of inflammation in vulnerable plaques, C57
- Rapamycin**
Oral rapamycin after coronary bare-metal stent implantation to prevent restenosis, 1522
- Reactive oxygen species**
Involvement of the nicotinamide adenosine dinucleotide phosphate oxidase isoform Nox2

- in cardiac contractile dysfunction occurring in response to pressure overload, 817
- Real-time three-dimensional echocardiography**
Imaging and quantification of myocardial perfusion using real-time three-dimensional echocardiography, 146
Year in echocardiography, 856
- Regional wall motion abnormalities**
Analysis of regional left ventricular function by cineventriculography, cardiac magnetic resonance imaging, and unenhanced and contrast-enhanced echocardiography, 121
- Rehabilitation**
Cardiac rehabilitation, exercise training, and psychosocial risk factors (letter), 212
- Remodeling**
Chronic atrial dilation, electrical remodeling, and atrial fibrillation in the goat, 644
Patients with hibernating myocardium show altered left ventricular volumes and shape, which revert after revascularization, 969
Relevance of coronary microvascular flow impairment to long-term remodeling and systolic dysfunction in hypertrophic cardiomyopathy, 1043
- Remodeling index**
Remodeling index compared to actual vascular remodeling in atherosclerotic left main coronary arteries as assessed with long-term (≥ 12 months) serial intravascular ultrasound, 1363
- Renal blood flow**
Assessment of renal flow and flow reserve in humans, 620
- Renal dysfunction**
Non-hypotensive low dose nesiritide has differential renal effects compared to standard dose nesiritide in patients with acute decompensated heart failure and renal dysfunction (correspondence), 2334
- Renal failure**
Cardiovascular morbidity and mortality in the Atherosclerosis and Folic Acid Supplementation Trial (ASFAST) in chronic renal failure, 1108
- Renal function**
Relationship between renal function and plasma brain natriuretic peptide in patients with heart failure, 582
Renal function, congestive heart failure, and amino-terminal pro-brain natriuretic peptide measurement, 91
Role of diminished renal function in cardiovascular mortality, 1
- Renal impairment**
Renal impairment and outcomes in heart failure: systematic review and meta-analysis, 1987
- Reperfusion**
Association between right bundle-branch block and impaired myocardial tissue-level reperfusion in patients with acute myocardial infarction, 2122
Hospital improvement in time to reperfusion in patients with acute myocardial infarction, 1999 to 2002, 45
Pre-hospital electrocardiogram and time to reperfusion in patients with acute myocardial infarction, 2000–2002, 1544
ST-segment elevation myocardial infarction: recommendations on triage of patients to heart attack centers, 1339
- Research**
Aspirin and clopidogrel drug response in patients undergoing percutaneous coronary intervention, 27
Highlights of the year in *JACC* 2005, 184
Oral rapamycin after coronary bare-metal stent implantation to prevent restenosis, 1522
Report of the National Heart, Lung, and Blood Institute working group on research in adult congenital heart disease, 701
Sirolimus-eluting versus paclitaxel-eluting stent implantation for the percutaneous treatment of left main coronary artery disease, 507
Unsung hero, 1722
- Restenosis**
Drug eluting stent restenosis: the pattern predicts the outcome, 2399
Geographical differences in the rates of angiographic restenosis and ischemia-driven target vessel revascularization after percutaneous coronary interventions, 34
Mechanisms and predictors of carotid artery stent restenosis: a serial intravascular ultrasound study, 2390
Oral rapamycin after coronary bare-metal stent implantation to prevent restenosis, 1522
Persistence of neointimal growth 12 months after intervention and occurrence of delayed restenosis in patients with left main coronary artery disease treated with drug-eluting stents (correspondence), 1491
Randomized comparison of sirolimus-eluting stent with balloon angioplasty in patients with in-stent restenosis, 2152
Restenosis, statistics, and reasonable inferences (letter), 470
Stenting Coronary Arteries in Non-stress/bestent Disease (SCANDSTENT) Trial, 449
Treatment of stent restenosis: moving beyond momentum, 2161
Year in interventional cardiology, 1689
- Restrictive cardiomyopathy**
Brain natriuretic peptide levels in constrictive pericarditis and restrictive cardiomyopathy (correspondence), 1489
- Revascularization**
Geographical differences in the rates of angiographic restenosis and ischemia-driven target vessel revascularization after percutaneous coronary interventions, 34
Patients with hibernating myocardium show altered left ventricular volumes and shape, which revert after revascularization, 969
Relationship between patient's risk profile and benefits in mortality from adjunctive abciximab to mechanical revascularization for ST-segment elevation myocardial infarction: a meta-regression analysis of randomized trials (correspondence), 685
Restenosis, statistics, and reasonable inferences (letter), 470
Time dependence of defibrillator benefit after coronary revascularization in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 1811
Tincture of time (editorial), 1818
Women, ischemic heart disease, revascularization, and the gender gap, 635
- Rheumatoid disease**
Left ventricular systolic dysfunction in rheumatoid disease, 1169
- Right atrial ablation**
Left atrial ablation versus biatrial ablation for persistent and permanent atrial fibrillation, 2504
- Right atrial appendage**
Improved atrial mechanical efficiency during alternate- and multiple-site atrial pacing compared with conventional right atrial appendage pacing: implications for selective site pacing to prevent atrial fibrillation (correspondence), 209
- Right bundle-branch block**
Association between right bundle-branch block and impaired myocardial tissue-level reperfusion in patients with acute myocardial infarction, 2122
- Right ventricle**
Transient cardiac apical ballooning syndrome: prevalence and clinical implications of right ventricular involvement (correspondence), 1082
- Right ventricular dysfunction**
Association of subclinical right ventricular dysfunction with obesity, 611
- Right ventricular pacing**
Alternative site pacing to promote cardiac synchrony: has conventional pacing become unconventional?, 1946
Biventricular versus conventional right ventricular stimulation for patients with standard pacing indication and left ventricular dysfunction—the HOBIPACE study, 1927
Prevention of ventricular desynchronization by permanent parahisian pacing after atrioventricular node ablation in chronic atrial fibrillation: a cross-over, blinded, randomized study versus apical right ventricular pacing, 1938
- Rimonabant**
Rimonabant: a cannabinoid CB₁ receptor blocker for management of multiple cardiometabolic risk factors, 1919
- Risk factors**
Aortic valve regurgitation after arterial switch operation for transposition of the great arteries: risk factors and outcome, 2057
B-type natriuretic peptide and the risk of cardiovascular events and death in patients with stable angina, 552
Cardiac rehabilitation, exercise training, and psychosocial risk factors (letter), 212
Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events: The St. Francis Heart Study (letter), 2339
Coronary risk factors and myocardial perfusion in asymptomatic adults, 565
Menopause and cardiovascular risk: cause or consequence?, 1984
Relationship between cardiovascular risk factors and atherosclerotic disease burden measured by intravascular ultrasound, 1967
Rimonabant: a cannabinoid C(B1) receptor blocker for management of multiple cardiometabolic risk factors, 1919
Utility of impedance cardiography for the identification of short-term risk of clinical decompensation in stable patients with chronic heart failure, 2245
- Risk profile**
Relationship between patient's risk profile and benefits in mortality from adjunctive abciximab to mechanical revascularization for ST-segment elevation myocardial infarction: a meta-regression analysis of randomized trials (correspondence), 685
- Risk stratification**
Application of the Thrombolysis In Myocardial

- Infarction risk index in non-ST-segment elevation myocardial infarction, 1553
- Coronary MDCT—a new standard for preoperative risk assessment?, 2025
- C-reactive protein and other emerging blood biomarkers to optimize risk stratification of vulnerable patients, C19
- Evaluating the risk of coronary surgery and percutaneous coronary intervention (editorial), 669
- Influence of proteinuria on cardiovascular risk and response to angiotensin-converting enzyme inhibition after myocardial infarction (correspondence), 1725
- Prognostic utility of microvolt T-wave alternans in risk stratification of patients with ischemic cardiomyopathy, 1820
- Risk score to predict in-hospital mortality for percutaneous coronary interventions, 654
- Risk stratification with electrocardiographic-gated dobutamine stress technetium-99m sestamibi single-photon emission tomographic imaging, 781
- Role of risk stratification in the decision to provide upstream versus selective glycoprotein IIb/IIIa inhibitors for acute coronary syndromes, 529
- Robotic magnetic navigation**
Robotic magnetic navigation for atrial fibrillation ablation, 1390
- Saphenous vein aortocoronary bypass grafts**
Intense vasoconstriction in response to aspirate from stented saphenous vein aortocoronary bypass grafts, 981
- SCANDSTENT study**
Stenting Coronary Arteries in Non-stress/bestent Disease (SCANDSTENT) Trial, 449
- sCD40L**
Genetic polymorphisms of platelet glycoprotein Ia and the risk for premature myocardial infarction: effects of the release of sCD40L during the acute phase of premature myocardial infarction, 1959
- Serofendic acid**
Serofendic acid, a novel substance extracted from fetal calf serum, protects against oxidative stress in neonatal rat cardiac myocytes, 1882
- Shear stress**
Plaque composition and its relationship with acknowledged shear stress patterns in coronary arteries (correspondence), 884
- Short QT syndrome**
Genomics and cardiac arrhythmias, 9
Short QT interval and atrial fibrillation in patients without structural heart disease (correspondence), 1905
- Sickle cell anemia**
Evaluation of left ventricular systolic function in pediatric sickle cell anemia patients using the end systolic wall stress-VCFc relationship, 2283
- Sildenafil**
Sildenafil improves coronary artery patency in a canine model of platelet-mediated cyclic coronary occlusion after thrombolysis, 1471
- Simulations**
Learning curves and reliability measures for virtual reality simulation in the performance assessment of carotid angiography, 1796
- Single nucleotide polymorphisms**
Genomics and cardiac arrhythmias, 9
- Single-photon emission computed tomography**
Effect of caffeine on ischemia detection by adenosine SPECT perfusion imaging, 2296
Highlights of the year in *JACC* 2005, 184
- Impact of body mass index on cardiac mortality in patients with known or suspected coronary artery disease undergoing myocardial perfusion single-photon emission computed tomography, 1418
- Myocardial contrast echocardiography for the detection of coronary artery stenosis, 141
- Risk stratification with electrocardiographic-gated dobutamine stress technetium-99m sestamibi single-photon emission tomographic imaging, 781
- Sinus rhythm**
Isolated potentials during sinus rhythm and pace-mapping within scars as guides for ablation of post-infarction ventricular tachycardia, 2013
Prognostic value of pacing-induced mechanical alternans in patients with mild-to-moderate idiopathic dilated cardiomyopathy in sinus rhythm, 1382
- Sirolimus-eluting stents**
See also Stents
Incomplete neointimal coverage of sirolimus-eluting stents: angioscopic findings, 2108
Incomplete neointimal coverage of sirolimus-eluting stents (editorial), 2108
Life-threatening coronary artery spasm following sirolimus-eluting stent deployment (letter), 1911
Randomized comparison of sirolimus-eluting stent with balloon angioplasty in patients with in-stent restenosis, 2152
Serial angiographic follow-up of sirolimus-eluting stents for unprotected left main coronary artery revascularization, 871
Sirolimus and paclitaxel on polymer-based drug-eluting stents, 708
Sirolimus-eluting stents remain superior to bare-metal stents at two years, 1356
Sirolimus-eluting versus paclitaxel-eluting stent implantation for the percutaneous treatment of left main coronary artery disease, 507
Stenting Coronary Arteries in Non-stress/bestent Disease (SCANDSTENT) Trial, 449
Two-year outcomes after sirolimus-eluting stent implantation, 1350
Vascular effects of sirolimus-eluting versus bare metal stents in diabetic patients: three-dimensional ultrasound results of the DIABETES trial, 2172
- Sitaxsentan**
Treatment of pulmonary arterial hypertension with the selective endothelin-A receptor antagonist sitaxsentan, 2049
- Sleep apnea**
Obstructive sleep apnea syndrome, 1433
Physiologic pacing in patients with obstructive sleep apnea, 379
- Smoking**
Hypertension and smoking are associated with reduced regional left ventricular function in asymptomatic individuals, 1150
Underestimated impact of smoking and smoking cessation on the risk of secondary cardiovascular disease events in patients with stable coronary heart disease: prospective cohort study (correspondence), 887
- Smooth muscle cells**
Vascular smooth muscle cells apoptosis in asymptomatic diabetic carotid plaques: role of glycemic control (correspondence), 2118
- Sodium-calcium exchange**
Sodium-calcium exchange initiated by the Ca²⁺ transient, 1196
- Special topics**
Special topics, D41
- Speckle tracking echocardiography**
Noninvasive myocardial strain measurement by speckle tracking echocardiography, 789
- Stable angina**
Noninvasive assessment of plaque morphology and composition in culprit and stable lesions in acute coronary syndrome and stable lesions in stable angina by multidetector computed tomography, 1655
- Statins**
See also HMG-CoA reductase inhibitors
Atorvastatin improves left ventricular systolic function and serum markers of inflammation in nonischemic heart failure, 332
Cardioprotective medication is associated with improved survival in patients with peripheral arterial disease, 1182
Emerging role of statins in the treatment of heart failure (editorial), 342
Intensive statin therapy and the risk of hospitalization for heart failure after an acute coronary syndrome in the PROVE IT-TIMI 22 study, 2326
Neutral effect on markers of heart failure, inflammation, endothelial activation and function, and vagal tone after high-dose HMG-CoA reductase inhibition in non-diabetic patients with non-ischemic cardiomyopathy and average low-density lipoprotein level, 338
Reduction in ventricular tachyarrhythmias with statins in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 769
Reduction of morbidity and mortality by statins, angiotensin-converting enzyme inhibitors, and angiotensin receptor blockers in patients with chronic obstructive pulmonary disease, 2554
Serum plant sterols and atherosclerosis: is there a place for statin-ezetimibe combination? (letter), 1496
Statin use and functional decline in patients with and without peripheral arterial disease, 998
Statins and antioxidant vitamins: should co-administration be provided? (letter), 1237
- Stature**
Relationship between stature and the prevalence of atrial fibrillation in patients with left ventricular dysfunction, 1683
- Stem cells**
Highlights of the year in *JACC* 2005, 184
Intracoronary delivery of hematopoietic bone marrow stem cells and luminal loss of the infarct-treated artery in patients with recent myocardial infarction (correspondence), 1727
Regeneration gaps, 1777
- Stenosis**
Noncalcified and calcified coronary plaque detection by contrast-enhanced multi-detector computed tomography: a study of interobserver agreement (correspondence), 207
Remote-control percutaneous coronary interventions, 296
- Stent(s)**
See also Drug-eluting stents; Paclitaxel-eluting stents; Sirolimus-eluting stents
Adventitial microvessel formation after coronary stenting and the effects of SU11218, a tyrosine kinase inhibitor, 1067
Clinical characteristics predict benefits from eptifibatid therapy during coronary stenting, 715

- Coronary stent thrombosis in the current drug-eluting stent era: insights from the ERACI III trial (correspondence), 205
- Endovascular therapy for chronic mesenteric ischemia, 944
- Intense vasoconstriction in response to aspirate from stented saphenous vein aortocoronary bypass grafts, 981
- Long-term outcomes following stenting of bifurcation lesions utilizing the “crush” technique: predictors of an adverse outcome, 1949
- Mechanisms and predictors of carotid artery stent restenosis: a serial intravascular ultrasound study, 2390
- Pathophysiology of stent thrombosis: platelet activation, mechanical factors, or both (letter), 1086
- Protected carotid stenting in high-risk patients with severe carotid artery stenosis, 2384
- Rate, predictors, and consequences of hemodynamic depression after carotid artery stenting, 1538
- Release of C-reactive protein by stenting (letter), 1733
- Results of catheter-based therapy compared with surgical repair of adult aortic coarctation, 1101
- Two-year outcomes after sirolimus-eluting stent implantation, 1350
- Strain**
Measurement of strain and strain rate by echocardiography, 1313
- Strain rate**
Measurement of strain and strain rate by echocardiography, 1313
- Stress**
Mental stress provokes ischemia in coronary artery disease subjects without exercise- or adenosine-induced ischemia, 987
- Stress echocardiography**
See also Echocardiography
Diastolic stress echocardiography: hemodynamic validation and clinical significance of estimation of ventricular filling pressure with exercise, 1891
Dobutamine stress echocardiography in patients with diabetes mellitus, 1029
Predictive value of normal left atrial volume in stress echocardiography, 1024
Prognostic value of pharmacological stress echocardiography in diabetic and nondiabetic patients with known or suspected coronary artery disease, 605
- Stroke**
Does percutaneous closure of the left atrial appendage prevent stroke in atrial fibrillation? (letter), 1500
Patent foramen ovale: innocent or guilty?, 440
Secondary stroke prevention and antiplatelet therapy (letter), 2568
- Stroke volume**
Impaired stroke volume response to exercise in pulmonary arterial hypertension (correspondence), 1732
- ST-segment elevation myocardial infarction**
ACC/AHA clinical performance measures for adults with ST-elevation and non-ST-elevation myocardial infarction, 236
Association between right bundle-branch block and impaired myocardial tissue-level reperfusion in patients with acute myocardial infarction, 2122
Effect of door-to-balloon time on mortality in patients with ST-segment elevation myocardial infarction, 2180
- Hospital improvement in time to reperfusion in patients with acute myocardial infarction, 1999 to 2002, 45
- Pre-hospital electrocardiogram and time to reperfusion in patients with acute myocardial infarction, 2000–2002, 1544
- Regionalization of ST-segment elevation acute coronary syndromes care, 1346
- Relationship between patient's risk profile and benefits in mortality from adjunctive abciximab to mechanical revascularization for ST-segment elevation myocardial infarction: a meta-regression analysis of randomized trials (correspondence), 685
- ST-segment elevation myocardial infarction: recommendations on triage of patients to heart attack centers, 1339
- Total of 1,007 percutaneous coronary interventions without onsite cardiac surgery, 1713
- SU11218**
Adventitial microvessel formation after coronary stenting and the effects of SU11218, a tyrosine kinase inhibitor, 1067
- Sudden cardiac death**
Antifibrotic effects of antioxidant N-acetylcysteine in a mouse model of human hypertrophic cardiomyopathy mutation, 827
Genomics and cardiac arrhythmias, 9
Implantable cardioverter-defibrillator therapy in clinical practice, 1507
Limitations of left ventricular ejection fraction as the major determinant for primary prevention implantable cardioverter-defibrillators (editorial), 1167
Population-based analysis of sudden cardiac death with and without left ventricular systolic dysfunction, 1161
Prognostic utility of microvolt T-wave alternans in risk stratification of patients with ischemic cardiomyopathy, 1820
Prolonged QTc interval and risk of sudden cardiac death in a population of older adults, 362
QTc prolongation and sudden cardiac death (editorial), 368
Reduction in ventricular tachyarrhythmias with statins in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 769
Time dependence of defibrillator benefit after coronary revascularization in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 1811
- Syncope**
AHA/ACCF scientific statement on the evaluation of syncope, 473
Epidemiology, clinical features, and follow-up of patients with syncope and a positive adenosine triphosphate test result, 594
Implantable loop recorder study of highly symptomatic vasovagal patients, 587
- Systolic dysfunction**
Relevance of coronary microvascular flow impairment to long-term remodeling and systolic dysfunction in hypertrophic cardiomyopathy, 1043
- Systolic function**
Angiotensin-converting enzyme inhibitors in coronary artery disease and preserved left ventricular systolic function, 1576
Clinical presentation, management, and in-hospital outcome of patients admitted with acute decompensated heart failure with preserved systolic function, 76
- Systolic torsion**
Paradoxical increase in ventricular torsion and systolic torsion rate in type I diabetic patients under tight glycemic control, 384
- Tachyarrhythmias**
Reduction in ventricular tachyarrhythmias with statins in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 769
- Tacrolimus**
Coronary endothelial vasomotor function and vascular remodeling in heart transplant recipients randomized for tacrolimus or cyclosporine immunosuppression, 1622
- Target lesion revascularization**
Restenosis, statistics, and reasonable inferences (letter), 470
- Target vessel revascularization**
Geographical differences in the rates of angiographic restenosis and ischemia-driven target vessel revascularization after percutaneous coronary interventions, 34
- Technetium-99m sestamibi**
Risk stratification with electrocardiographic-gated dobutamine stress technetium-99m sestamibi single-photon emission tomographic imaging, 781
- Tenascin C**
Serum tenascin-C might be a novel predictor left ventricular remodeling and prognosis after acute myocardial infarction, 2319
- Thiamin deficiency**
Prevalence of thiamin deficiency in hospitalized patients with congestive heart failure, 354
- Thiols**
Relationship between plasma levels of oxidized and reduced thiols and early atherosclerosis in healthy adults, 1005
- Thrombelastograph platelet mapping**
Platelet aspirin resistance detection and validation (letter), 2565
- Thrombolysis**
Sildenafil improves coronary artery patency in a canine model of platelet-mediated cyclic coronary occlusion after thrombolysis, 1471
- Thrombolysis In Myocardial Infarction risk index**
Application of the Thrombolysis In Myocardial Infarction risk index in non-ST-segment elevation myocardial infarction, 1553
- Thrombosis**
Coronary stent thrombosis in the current drug-eluting stent era: insights from the ERACI III trial (correspondence), 205
Drug-eluting stent thrombosis: a pooled analysis (letter), 214
Pathophysiology of stent thrombosis: platelet activation, mechanical factors, or both (letter), 1086
- Thromboxane-dependent CD40 ligand release in type 2 diabetes mellitus**
Thromboxane-dependent CD40 ligand release in type 2 diabetes mellitus, 391
- Thrombus**
Dependence of platelet thrombus stability on sustained glycoprotein IIb/IIIa activation through adenosine 5'-diphosphate receptor stimulation and cyclic calcium signaling, 155
- Tibolone**
Tibolone improves myocardial perfusion in postmenopausal women with ischemic heart disease, 559
- Tirofiban**
Randomized comparison of upstream tirofiban versus downstream high bolus dose tirofiban

or abciximab on tissue-level perfusion and troponin release in high-risk acute coronary syndromes treated with percutaneous coronary interventions, 522

Tissue Doppler imaging

Assessment of left ventricular dyssynchrony in patients with conduction delay and idiopathic dilated cardiomyopathy: head-to-head comparison between tissue Doppler imaging and velocity-encoded MRI, 2042

Grading of myocardial dysfunction by tissue Doppler echocardiography, 1672

Highlights of the year in *JACC* 2005, 184

Tpeak-Tend

Tpeak-Tend and Tpeak-Tend dispersion as risk factors for ventricular tachycardia/ventricular fibrillation in patients with the Brugada syndrome, 1828

Training

ACCF 2006 update for training in adult cardiovascular medicine, 893

Influence of age, gender, and training on exercise efficiency, 1049

Task force 6: training in specialized electrophysiology, cardiac pacing, and arrhythmia management, 904

Task force 12: training in advanced cardiovascular imaging (cardiovascular magnetic resonance [CMR]), 910

Task force 12: training in advanced cardiovascular imaging (computed tomography), 915

Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs (letter), 2128

Transient left ventricular apical ballooning syndrome

Transient cardiac apical ballooning syndrome: prevalence and clinical implications of right ventricular involvement (correspondence), 1082

Transplantation

Effects of gender on peak oxygen consumption and the timing of cardiac transplantation, 2237

Timing for transplant; superior genetics or social prejudice (editorial), 2243

Transposition of the great arteries

Aortic valve regurgitation after arterial switch operation for transposition of the great arteries: risk factors and outcome, 2057

Trans-septal catheterization

Trans-septal catheterization in the electrophysiology laboratory, 0137

Transthyretin V122I

Transthyretin V122I in African Americans with congestive heart failure (correspondence), 1724

Treadmill exercise

Treadmill exercise produces larger perfusion defects than dipyridamole stress N-13 ammonia positron emission tomography, 411

Treatment crossovers

Treatment crossovers did not affect randomized treatment comparisons in the Mode Selection Trial (MOST), 2260

Tricuspid regurgitation

Year in valvular heart disease, 427

Troponins

Antifibrotic effects of antioxidant N-acetylcysteine in a mouse model of human hypertrophic cardiomyopathy mutation, 827

Frequency and clinical implications of discordant creatine kinase-MB and troponin measurement in acute coronary syndromes, 312

Randomized comparison of upstream tirofiban versus downstream high bolus dose tirofiban or abciximab on tissue-level perfusion and troponin release in high-risk acute coronary syndromes treated with percutaneous coronary interventions, 522

T-wave alternans

Microvolt T-wave alternans: where do we go from here? (letter), 1736

Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction, 456

Prognostic utility of microvolt T-wave alternans in risk stratification of patients with ischemic cardiomyopathy, 1820

T-wave alternans and the susceptibility to ventricular arrhythmias, 269

T-wave peak amplitude

Ratio of late to early T-wave peak amplitude in 24-h electrocardiographic recordings as indicator of symptom history in patients with long-QT syndrome types 1 and 2, 112

Tyrosine kinase inhibitors

Adventitial microvessel formation after coronary stenting and the effects of SU11218, a tyrosine kinase inhibitor, 1067

Ultrasound

See also Intravascular ultrasound

Integrated backscatter in Becker muscular dystrophy patients with functionally normal heart: myocardial ultrasound tissue characterization study (correspondence), 686

Valsartan

Effect of valsartan, captopril, or both on atherosclerotic events after acute myocardial infarction, 726

Valvular heart disease

Highlights of the year in *JACC* 2005, 184

Human degenerative valve disease is associated with up-regulation of low-density lipoprotein receptor-related protein 5 receptor-mediated bone formation, 1707

Long-term outcome of surgically treated aortic regurgitation, 1012

Valvular heart disease/cardiac surgery, D37

Year in valvular heart disease, 427

Vascular disease

Vascular disease, hypertension, and prevention, D3

Vascular smooth muscle cells

Vascular smooth muscle cells apoptosis in asymptomatic diabetic carotid plaques: role of glycemic control (correspondence), 2118

Vasoconstriction

Intense vasoconstriction in response to aspirate from stented saphenous vein aortocoronary bypass grafts, 981

Vasovagal syncope

Implantable loop recorder study of highly symptomatic vasovagal patients, 587

Velocity-encoded magnetic resonance imaging

Assessment of left ventricular dyssynchrony in patients with conduction delay and idiopathic dilated cardiomyopathy: head-to-head comparison between tissue Doppler imaging and velocity-encoded MRI, 2042

Ventricular arrhythmias

Microvolt T-wave alternans and the risk of death or sustained ventricular arrhythmias in patients with left ventricular dysfunction, 456

T-wave alternans and the susceptibility to ventricular arrhythmias, 269

Ventricular assist devices

Same bridge, new destinations, 930

Ventricular dyssynchrony

Dynamic ventricular dyssynchrony: an exercise-echocardiography study, 2253

Ventricular fibrillation

Cellular basis for trigger and maintenance of ventricular fibrillation in the Brugada syndrome model: high resolution optical mapping study, 2074

Predictive value of ventricular arrhythmia inducibility for subsequent ventricular tachycardia or ventricular fibrillation in Multicenter Automatic Defibrillator Implantation Trial (MADIT) II patients, 98

Tpeak-Tend and Tpeak-Tend dispersion as risk factors for ventricular tachycardia/ventricular fibrillation in patients with the Brugada syndrome, 1828

Year in clinical electrophysiology, 1207

Ventricular pacing

New paradigm for physiologic ventricular pacing, 282

Ventricular septal defects

Independent factors associated with mortality, reintervention, and achievement of complete repair in children with pulmonary atresia with ventricular septal defect, 1448

Transcatheter closure of perimembranous ventricular septal defects using the new Amplatzer Membranous VSD Occluder, 319

Ventricular stimulation

Paired ventricular stimulation: an approach for hemodynamic stabilization during ventricular tachycardia (correspondence), 2337

Ventricular tachyarrhythmias

Reduction in ventricular tachyarrhythmias with statins in the Multicenter Automatic Defibrillator Implantation Trial (MADIT)-II, 769

Ventricular tachycardia

Isolated potentials during sinus rhythm and pace-mapping within scars as guides for ablation of post-infarction ventricular tachycardia, 2013

Paired ventricular stimulation: an approach for hemodynamic stabilization during ventricular tachycardia (correspondence), 2337

Predictive value of ventricular arrhythmia inducibility for subsequent ventricular tachycardia or ventricular fibrillation in Multicenter Automatic Defibrillator Implantation Trial (MADIT) II patients, 98

Tpeak-Tend and Tpeak-Tend dispersion as risk factors for ventricular tachycardia/ventricular fibrillation in patients with the Brugada syndrome, 1828

Ventricular torsion

Paradoxical increase in ventricular torsion and systolic torsion rate in type I diabetic patients under tight glycemic control, 384

Virtual histology

Accuracy of in vivo coronary plaque morphology assessment: a validation study of in vivo virtual histology compared with in vitro histopathology, 2405

Virtual reality simulation

Learning curves and reliability measures for virtual reality simulation in the performance assessment of carotid angiography, 1796

Viruses

Viruses and other environmental factors as possible sources of phenotypic heterogeneity in familial dilated cardiomyopathy (letter), 689

Vitamins

Statins and antioxidant vitamins: should co-administration be provided? (letter), 1237

Warfarin

Risk of hemorrhage among patients with warfarin-associated coagulopathy, 804

White-coat hypertension

Prognosis of masked hypertension and white-coat hypertension detected by 24-h ambulatory blood pressure monitoring (letter), 2127

Wolf-Parkinson-White syndrome

Genomics and cardiac arrhythmias, 9

Women

Effects of gender on peak oxygen consumption and the timing of cardiac transplantation, 2237

Heart disease risk determines menopausal age rather than the reverse, 1976

Hormone replacement therapy and the cardiovascular system, 1741

Hypertension, menopause, and coronary artery disease risk in the Women's Ischemia Syndrome Evaluation (WISE) study, 50S

Impaired coronary vascular reactivity and functional capacity in women, 44S

Insights from the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE) study, 4S

Ischemic heart disease in women, 1S

Menopause and cardiovascular risk: cause or consequence?, 1984

Some thoughts on the vasculopathy of women with ischemic heart disease, 30S

Value of estimated functional capacity in estimating outcome, 36S

Women, ischemic heart disease, revascularization, and the gender gap, 63S

Women and cardiovascular heart disease: clinical implications from the Women's Ischemia Syndrome Evaluation (WISE) study, 59S

Women and ischemic heart disease, 66S